Author Index to Volume 25

(References with (L) are to Letters to the Editor)

Abe, Hidetaro, Hiroshi Nagano, Mahoko Nagusa, and Keichi Oshima. Magnetic resonance absorption caused by additional paramagnetic impurities in alkali halides—378(L)
Ackermann, Raymond J., Paul W. Gilles, and R. J. Thorn. High-temperature thermodynamic properties of uranium dioxide—1089
Albasiny, E. L. (see Barnett, M. P.)—367(L)
Alder, B. J. (see Becker, E.)—971
Alford, Dorman (see Menefee, Andrew)—370(L)
Allen, Harry C., Jr., and Earle K. Plyler. Infrared spectrum of hydrogen sulfide—1132
——, **Eugene D. Tidwell, and Earle K. Plyler.** Infrared spectra of hydrogen cyanide and deuterium cyanide—302
Allen, Thomas L. (see Keefer, R. M.)—1059
Allin, Elizabeth J. (see Cho, C. W.)—371(L)
Allison, H. W. (see Moore, George E.)—190(L)
Altman, David, Milton Farber, and David M. Mason. Thermodynamic properties of the titanium chlorides—531
—— (see Gilbert, Mitchell)—377(L)
Amano, Kaiichi (see Shionoya, Shigeo)—380(L)
Amat, Gilbert, Mark Goldsmith, and Harald H. Nielsen. Errata: Influence of Fermi resonance of the centrifugal stretching constant of a linear molecule—800(L)
Amdur, I. and E. A. Mason. Scattering of high velocity neutral particles. VII. Xenon—xenon—624
—— **and E. A. Mason.** Scattering of high velocity neutral particles. VIII. H—He—630
—— **and E. A. Mason.** Scattering of high velocity neutral particles. IX. Ne—A; A—Ne—632
Anderson, John H. (see Holzman, G. R.)—172(L)
Anno, Tosinobu and Akira Sadô. Further note on the calculation of bond lengths of carbon-chlorine bonds—176(L)
Antes, L. L. (see Reynolds, D. C.)—1177
Aschenbrand, Leonard M. (see Marmo, Frederick F.)—187(L)
—— (see Pressman, Jerome)—187(L)
—— (see Zelikoff, Murray)—674
Ashizawa, F. T. (see Kuroda, P. K.)—603(L)
Atoji, Masao. Atomic polarizability—174(L)

Bak, Børge, Daniel Christensen, John Rastrup-Andersen, and Eileen Tannenbaum. Microwave spectra of thiophene, 2- and 3-monodeutero, 3,3′-dideutero, and tetradeuterothiophene. Structure of the thiophene molecule—892
Baker, A. N. Polarizability of the hydrogen bridge—381(L)
Ballhausen, Carl J. (see Cotton, F. Albert)—617
Barnes, R. G. and S. L. Segel. Dimerization of solid group IIIB trihalides. I. Bromine nuclear quadrupole resonance spectrum of $AlBr_3$—180(L)
—— (see Bray, P. J.)—792(L), 813
—— (see Cassabella, P. A.)—1280(L)
—— (see Segel, S. L.)—578(L), 1286(L)
Barnett, M. P., H. H. Robertson, and E. L. Albasiny. High-speed computation of molecular integrals—367(L)
Barr, T. A. Osmotic pressure phenomena as observed in silver membrane osmometers—669
Barrett, C. S. Crystal structure of barium and europium at 293, 78, and 5°K—1123
Basu, Sadhan and Rama Bhattacharya. *para*-localization energy and polarographic half-wave potentials of polynuclear hydrocarbons—596(L)
Bates, R. G., E. A. Guggenheim, H. S. Harned, D. J. G. Ives, G. J. Janz, C. B. Monk, R. A. Robinson, R. H. Stokes, and W. F. K. Wynne-Jones. Standard electrode potential of the silver, silver chloride electrode—361(L)
Bauer, S. H. (see Keidel, F. A.)—1218
Beachell, H. C. (see Pondy, P. R.)—238
Becker, Edwin D., R. H. Lindquist, and B. J. Alder. Model for metal ammonia solutions—971
—— **and George C. Pimentel.** Spectroscopic studies of reactive molecules by the matrix isolation method—224
—— (see Liddel, Urner)—173(L)
Beer, Michael. Electronic spectra of polyacetylenes—745
Begun, G. M. Nitrogen isotope effect in the distillation of N_2O_4—1279(L)
—— **and C. E. Melton.** Nitrogen isotopic fractionation between NO and NO_2 and mass discrimination in mass analysis of NO_2—1292(L)
Bell, Graham (see Dickey, Fred P.)—180(L)
Bellis, Harold E. and Emil J. Slowinski, Jr. Application of vapor chromatography to infrared spectroscopy of liquids—794(L)
Benedict, W. S. (see Madden, R. P.)—594(L)
Bennett, Winifred (see Garrison, Warren M.)—1282(L)
Benson, Sidney W. Pyrolysis of dimethyl ether—27
Berg, Daniel and Thomas W. Dakin. Electron attachment in sulfur hexafluoride—179(L)
Berkowitz, Joseph, William A. Chupka, and G. B. Kistiakowsky. Mass spectrometric study of the kinetics of nitrogen afterglow—457
Berl, W. G., E. L. Gayhart, H. L. Olsen, H. P. Broida, and K. E. Shuler. Spectroscopic observations on pentaborane-air flames and explosions—797(L)
Bersohn, R. (see Bray, P. J.)—813
Beyer, Robert T. Ultrasonic absorption theory of Gierer and Wirtz—219
Bhattacharya, Rama (see Basu, Sadhan)—596(L)
Bielecki, Anthony J. (see Meister, Arnold G.)—941
Bird, George R. Microwave spectrum of NO_2: a rigid rotor analysis—1040
—— **and Elkan R. Blout.** Infrared flow dichroism—798(L)
Bissot, Thomas C. (see Taylor, Robert C.)—780(L)
Bloembergen, N. (see Solomon, I.)—261
Bloom, Arnold L. Field-dependent proton relaxation times in solutions of Mn^{++}—793(L)
Blout, Elkan R. (see Bird, George R.)—798(L)
Bockris, J. O'M., W. Mehl, B. E. Conway, and L. Young. Frequency variation of the capacity and resistance of the electrical double layer at a metal-solution interface—776(L)
Bodi, Lewis J. and C. F. Curtiss. Theory of rotational-vibrational interaction in polyatomic molecules—1117
Boesman, E., G. Remaut, and W. Dekeyser. Coloration of rocksalt by the Rexer method—359(L)
Bondi, A. and Donald J. Simkin. On the hydrogen bond contribution to the heat of vaporization of aliphatic alcohols—1073(L)
Bothner-By, Aksel A. (see Glick, Richard E.)—362(L)
Bowman, Roger E. (see Kaufman, Frederick)—106
Brady, George W. (see Mays, John M.)—583(L)
Brandt, W. W. (see Collins, F. C.)—581(L)
Branscomb, Lewis M. and Stephen J. Smith. Electron affinity of atomic sulfur and empirical affinities of the light elements—598(L)
Bray, P. J., R. G. Barnes, and R. Bershon. Pure quadrupole resonances in multichlorobenzenes—813
——, **George O'Keefe, and R. G. Barnes.** As^{75} pure quadrupole resonance in synthetic claudetite—792(L)
—— (see Cassabella, P. A.)—1280(L)
—— (see Segel, S. L.)—1286(L)
Bredig, M. A. (see Burns, John H.)—1281(L)
Bree, A. and L. E. Lyons. Effect of heat upon anthracene photoconductance in air—1284(L)

Author Index to Volume 25

(References with (L) are to Letters to the Editor)

Abe, Hidetaro, Hiroshi Nagano, Mahoko Nagusa, and Keichi Oshima. Magnetic resonance absorption caused by additional paramagnetic impurities in alkali halides—378(L)
Ackermann, Raymond J., Paul W. Gilles, and R. J. Thorn. High-temperature thermodynamic properties of uranium dioxide—1089
Albasiny, E. L. (see Barnett, M. P.)—367(L)
Alder, B. J. (see Becker, E.)—971
Alford, Dorman (see Menefee, Andrew)—370(L)
Allen, Harry C., Jr., and Earle K. Plyler. Infrared spectrum of hydrogen sulfide—1132
——, **Eugene D. Tidwell, and Earle K. Plyler.** Infrared spectra of hydrogen cyanide and deuterium cyanide—302
Allen, Thomas L. (see Keefer, R. M.)—1059
Allin, Elizabeth J. (see Cho, C. W.)—371(L)
Allison, H. W. (see Moore, George E.)—190(L)
Altman, David, Milton Farber, and David M. Mason. Thermodynamic properties of the titanium chlorides—531
—— (see Gilbert, Mitchell)—377(L)
Amano, Kaiichi (see Shionoya, Shigeo)—380(L)
Amat, Gilbert, Mark Goldsmith, and Harald H. Nielsen. Errata: Influence of Fermi resonance of the centrifugal stretching constant of a linear molecule—800(L)
Amdur, I. and E. A. Mason. Scattering of high velocity neutral particles. VII. Xenon—xenon—624
—— **and E. A. Mason.** Scattering of high velocity neutral particles. VIII. H—He—630
—— **and E. A. Mason.** Scattering of high velocity neutral particles. IX. Ne—A; A—Ne—632
Anderson, John H. (see Holzman, G. R.)—172(L)
Anno, Tosinobu and Akira Sadô. Further note on the calculation of bond lengths of carbon-chlorine bonds—176(L)
Antes, L. L. (see Reynolds, D. C.)—1177
Aschenbrand, Leonard M. (see Marmo, Frederick F.)—187(L)
—— (see Pressman, Jerome)—187(L)
—— (see Zelikoff, Murray)—674
Ashizawa, F. T. (see Kuroda, P. K.)—603(L)
Atoji, Masao. Atomic polarizability—174(L)

Bak, Børge, Daniel Christensen, John Rastrup-Andersen, and Eileen Tannenbaum. Microwave spectra of thiophene, 2- and 3-monodeutero, 3,3′-dideutero, and tetradeuterothiophene. Structure of the thiophene molecule—892
Baker, A. N. Polarizability of the hydrogen bridge—381(L)
Ballhausen, Carl J. (see Cotton, F. Albert)—617
Barnes, R. G. and S. L. Segel. Dimerization of solid group IIIB trihalides. I. Bromine nuclear quadrupole resonance spectrum of $AlBr_3$—180(L)
—— (see Bray, P. J.)—792(L), 813
—— (see Cassabella, P. A.)—1280(L)
—— (see Segel, S. L.)—578(L), 1286(L)
Barnett, M. P., H. H. Robertson, and E. L. Albasiny. High-speed computation of molecular integrals—367(L)
Barr, T. A. Osmotic pressure phenomena as observed in silver membrane osmometers—669
Barrett, C. S. Crystal structure of barium and europium at 293, 78, and 5°K—1123
Basu, Sadhan and Rama Bhattacharya. *para*-localization energy and polarographic half-wave potentials of polynuclear hydrocarbons—596(L)
Bates, R. G., E. A. Guggenheim, H. S. Harned, D. J. G. Ives, G. J. Janz, C. B. Monk, R. A. Robinson, R. H. Stokes, and W. F. K. Wynne-Jones. Standard electrode potential of the silver, silver chloride electrode—361(L)
Bauer, S. H. (see Keidel, F. A.)—1218
Beachell, H. C. (see Pondy, P. R.)—238
Becker, Edwin D., R. H. Lindquist, and B. J. Alder. Model for metal ammonia solutions—971
—— **and George C. Pimentel.** Spectroscopic studies of reactive molecules by the matrix isolation method—224
—— (see Liddel, Urner)—173(L)
Beer, Michael. Electronic spectra of polyacetylenes—745
Begun, G. M. Nitrogen isotope effect in the distillation of N_2O_4—1279(L)
—— **and C. E. Melton.** Nitrogen isotopic fractionation between NO and NO_2 and mass discrimination in mass analysis of NO_2—1292(L)
Bell, Graham (see Dickey, Fred P.)—180(L)
Bellis, Harold E. and Emil J. Slowinski, Jr. Application of vapor chromatography to infrared spectroscopy of liquids—794(L)
Benedict, W. S. (see Madden, R. P.)—594(L)
Bennett, Winifred (see Garrison, Warren M.)—1282(L)
Benson, Sidney W. Pyrolysis of dimethyl ether—27
Berg, Daniel and Thomas W. Dakin. Electron attachment in sulfur hexafluoride—179(L)
Berkowitz, Joseph, William A. Chupka, and G. B. Kistiakowsky. Mass spectrometric study of the kinetics of nitrogen afterglow—457
Berl, W. G., E. L. Gayhart, H. L. Olsen, H. P. Broida, and K. E. Shuler. Spectroscopic observations on pentaborane-air flames and explosions—797(L)
Bersohn, R. (see Bray, P. J.)—813
Beyer, Robert T. Ultrasonic absorption theory of Gierer and Wirtz—219
Bhattacharya, Rama (see Basu, Sadhan)—596(L)
Bielecki, Anthony J. (see Meister, Arnold G.)—941
Bird, George R. Microwave spectrum of NO_2: a rigid rotor analysis—1040
—— **and Elkan R. Blout.** Infrared flow dichroism—798(L)
Bissot, Thomas C. (see Taylor, Robert C.)—780(L)
Bloembergen, N. (see Solomon, I.)—261
Bloom, Arnold L. Field-dependent proton relaxation times in solutions of Mn^{++}—793(L)
Blout, Elkan R. (see Bird, George R.)—798(L)
Bockris, J. O'M., W. Mehl, B. E. Conway, and L. Young. Frequency variation of the capacity and resistance of the electrical double layer at a metal-solution interface—776(L)
Bodi, Lewis J. and C. F. Curtiss. Theory of rotational-vibrational interaction in polyatomic molecules—1117
Boesman, E., G. Remaut, and W. Dekeyser. Coloration of rocksalt by the Rexer method—359(L)
Bondi, A. and Donald J. Simkin. On the hydrogen bond contribution to the heat of vaporization of aliphatic alcohols—1073(L)
Bothner-By, Aksel A. (see Glick, Richard E.)—362(L)
Bowman, Roger E. (see Kaufman, Frederick)—106
Brady, George W. (see Mays, John M.)—583(L)
Brandt, W. W. (see Collins, F. C.)—581(L)
Branscomb, Lewis M. and Stephen J. Smith. Electron affinity of atomic sulfur and empirical affinities of the light elements—598(L)
Bray, P. J., R. G. Barnes, and R. Bershon. Pure quadrupole resonances in multichlorobenzenes—813
——, **George O'Keefe, and R. G. Barnes.** As^{75} pure quadrupole resonance in synthetic claudetite—792(L)
—— (see Cassabella, P. A.)—1280(L)
—— (see Segel, S. L.)—1286(L)
Bredig, M. A. (see Burns, John H.)—1281(L)
Bree, A. and L. E. Lyons. Effect of heat upon anthracene photoconductance in air—1284(L)

—— **and L. E. Lyons.** Effect of the gaseous atmosphere on the photoconduction and semiconduction of aromatic hydrocarbon crystals—384(L)
Bridgers, Henry E. and E. D. Kolb. Distribution coefficient of boron in germanium—648
Britton, Doyle and Norman Davidson. Shock waves in chemical kinetics. Rate of dissociation of molecular bromine —810
——, **Norman Davidson, William Gehman, and Garry Schott.** Shock waves in chemical kinetics: Further studies on the rate of dissociation of molecular iodine—804
Broida, Herbert P. and Henry J. Kostkowski. Experimental proof for the existence of nonthermal rotational distributions of OH ($^2\Sigma^+$) in flames—676
—— (see Berl, W. G.)—797(L)
Brotherton, T. D., W. E. Wallace, and R. S. Craig. Thermal equilibration in $MgCd_3$ at low temperatures —1297(L)
Brown, Harmon W. (see Milligan, Dolphus E.)—1080(L)
Brüchner, Hans-Joachim. Quantum-mechanical calculation of the bond energy of the nitrogen molecule—367(L)
Buckingham, A. D. Theory of the dielectric constant at high field strengths—428
Budó, A. and I. Ketskeméty. Influence of secondary fluorescence on the emission spectra of luminescent solutions—595(L)
Bueche, F. Viscosity of polymers in concentrated solution—599(L)
Buff, Frank P. Curved fluid interfaces. I. The generalized Gibbs-Kelvin equation—146
—— **and Frank H. Stillinger, Jr.** Surface tension of ionic solutions—312
Burkardt, Lohr A. (see Moore, Donald W.)—1235
Burke, T. G. Infrared spectra of selenium hexafluoride and tellurium hexafluoride—791(L)
Burns, John H. and M. A. Bredig. Transformation of calcite to aragonite by grinding—1281(L)
Burr, John G., Jr. Effect of radiation upon the exchange of hydrogen and ethanol—587(L)

Cagle, F. William, Jr. Study of the thermal decomposition of methane—1300(L)
Caldwell, Wallace C. (see Johnson, Robert G.)—917
Carpenter, D. K. and W. R. Krigbaum. Errata: On the question of the correct values for Rayleigh's ratio—384(L)
Carr, Russel E. (see Lorell, Jack)—325
Carrano, Matthew J. (see Tobin, Marvin C.)—1044
Cassabella, P. A., P. J. Bray, S. L. Segel, and R. G. Barnes. Pure quadrupole resonances in multibromobenzenes—1280(L)
Cavagnol, J. C. (see Hirt, R. C.)—574
Cawthon, T. M. and J. D. McKinley, Jr. Near infrared emission spectrum of the H, O_3 reaction—585(L)
Chakraborty, S. C. and A. Roy. Catalytic effects of TiO_2 and MnO_2 on the phase transformation of gothite—1079(L)
Chamberlain, Mark M. (see Jones, Llewellyn H.)—365(L)
Chambré, Paul L. On the ignition of a moving combustible gas stream—417
Chelkowski, A. (see Piekara, A.)—794(L)
Chiba, Takehiko (see Morino, Yonezo)—185(L)
Cho, C. W., Elizabeth J. Allin, and H. L. Welsh. Structure of the infrared "atmospheric" bands in liquid oxygen—371(L)
Christensen, Daniel (see Bak, Børge)—892
Chupka, William A. (see Berkowitz, Joseph)—457
—— (see Inghram, Mark G.)—498
Claassen, Howard H., Bernard Weinstock, and John G. Malm. Raman spectrum of UF_6—426
Clark, George L. Dielectric properties of nitrobenzene in the region of anomalous dispersion—125
Clusius, P. A. K., M. Huber, H. Hürzeler, and E. Schumacher. Errata: Preparation of the rare isotope Me^{21}—384(L)
Coburn, Theodore J., K. Narahari Rao, and H. H. Nielsen. Combination band $\nu_4+\nu_5$ of acetylene—607(L)
Codrington, R. S. (see Walter, Robert I.)—319
Cohen, A. D. and C. Reid. Hydrogen bonding by NMR—790(L)
Cohen, Alvin J. Anisotropic color centers in α quartz. Part I. Smoky quartz—908
Cole, Sibyl (see Garrison, Warren M.)—1282(L)
Coleman, R. V. (see Sears, G. W.)—635
Collins, F. C., W. W. Brandt, and M. H. Navidi. Calculation of the free volume and the internal pressure of liquids from sonic velocity data—581(L)
Compton, D. M. J. and T. C. Waddington. Photoconductivity and semiconductivity of anthracene: effect of NO_2 and Cl_2—1075(L)
Conway, B. E. (see Bockris, J. O'M.)—776(L)
Conway, John G. (see Gruen, Dieter M.)—1102
Cook, Denys. Relative basicity of alkyl benzenes—788(L)
Corbett, J. W. and J. H. Wang. Self-diffusion in liquid argon—422
—— **and W. W. Watson.** Thermal diffusion in krypton and argon—385
Corio, P. L. and B. P. Dailey. Influence of the solvent on the chemical shifts of monosubstituted benzenes—1291(L)
Cotton, F. Albert and Carl J. Ballhausen. Soft x-ray absorption edges of metal ions in complexes. I. Theoretical considerations—617
—— **and Harold P. Hanson.** Soft x-ray absorption edges of metal ions in complexes. II. Cu *K* edge in some cupric complexes—619
Cox, John (see Erlandsson, Gunnar)—778(L)
Craig, D. P. and E. A. Magnusson. Atomic orbital modification in molecule formation—383(L)
—— **and J. R. Walsh.** Exciton shape dependence and Davydov splitting in aromatic crystals—588(L)
Craig, R. S. (see Brotherton, T. D.)—1297(L)
Crawford, Bryce, Jr. (see Golike, R. C.)—1266
Crowe, R. W. (see Devins, J. C.)—1053
Crowell, A. D. Contribution of other than next neighbors in energy calculations for non-ionic liquids and solids—1264
Curtis, A. J. (see Rathmann, G. B.)—413
Curtiss, C. F. (see Bodi, Lewis J.)—1117
Cvetanović, R. J. Mechanism of the interaction of oxygen atoms with olefins—376(L)
Cyphers, Joseph A. (see Friedman, Raymond)—448

D'Adamo, Amedeo F., Jr. (see Walter, Robert I.)—319
Dahler, John S. and Joseph O. Hirschfelder. Long-range intermolecular forces—986
——, **Joseph O. Hirschfelder, and Henry C. Thacher, Jr.** Improved free-volume theory of liquids. I—249
Dailey, B. P. (see Corio, P. L.)—1291(L)
Dakin, Thomas W. (see Berg, Daniel)—179(L)
Dalby, F. W. and H. H. Nielsen. Infrared spectrum of water vapor. Part I—The 6.26μ region—934
Darbee, L. R., F. E. Jenkins, and G. M. Harris. Kinetics of competitive isotopic exchange reactions—605(L)
Darnell, A. J. (see Farber, Milton)—526
Das, T. P. Tunneling through high periodic barriers. I—896
Datz, Sheldon and Ellison H. Taylor. Ionization on platinum and tungsten surfaces. I. The alkali metals—389
—— **and Ellison H. Taylor.** Ionization on platinum and tungsten surfaces. II. The potassium halides—395
Davidson, Norman (see Britton, Doyle)—804, 810
de Boer, E. Hyperfine structure and electron densities in aromatic free radicals—190(L)
Decius, J. C. (see Steele, W. C.)—1184
Dekeyser, W. (see Boesman, E.)—359(L)
Delbouille, Luc. Structure of the hexafluorobenzene molecule —182(L)

Devins, J. C. and R. W. Crowe. Electric strength of saturated hydrocarbon gases—1053
Dickerson, Richard E., Peter J. Wheatley, Peter A. Howell, William N. Lipscomb, and Riley Schaeffer. Boron arrangement in a B_9 hydride—606(L)
Dickey, Fred P., Stanley Kopczynski, and Graham Bell. Technique for studying the effect of an additive on a flame spectrum—180(L)
DiPaolo, F. S. (see Jenkins, A. C.)—296
Dodgen, H. W. and J. L. Ragle. Observation of hindered rotation in solid 1,2-dichloroethane by nuclear quadrupole resonance—376(L); erratum—1088(L)
Dole, Malcolm. Relation between the Onsager and measurable diffusion coefficients in three component systems—1082(L)
Domb, C. Specific heats of compressible lattices and the theory of melting—783(L)
Dowling, Jerome M. Normal coordinate treatment for the out-of-plane vibrations of ethylene-type molecules—284
—— (see Meister, Arnold G.)—941
Dows, D. A. (see Hexter, R. M.)—504
Drowart, Jean and Richard E. Honig. Mass spectrometric study of copper, silver, and gold—581(L)
Dryden, J. S. and D. A. A. S. Narayana Rao. Dielectric absorption in lithium fluoride—222
Dubois, Jean T. Transfer of electronic energy. Quenching of fluorescence by oxygen and nitric oxide—178(L)
Duchesne, Jules. Nuclear quadrupole coupling constants and vibrational states—368(L)
Duff, Russell E. and Herbert T. Knight. Precision flash x-ray determination of density ratio in gaseous detonations—1301(L)

Edse, Rudolph and William A. Strauss. Stability and burning velocities of laminar carbon monoxide-air flames at pressures up to 93 atmospheres—1241
Edwards, R. R. (see Kuroda, P. K.)—603(L)
Eggers, David F., Jr. (see Kaplan, Lewis D.)—876
Eisenstein, J. C. Use of *f* orbitals in covalent bonding—142
Elleman, Daniel D. and Dudley Williams. Proton positions in brucite crystals—742
Erlandsson, Gunnar. Millimeter wave spectrum of formaldehyde—579(L)
—— Millimeter wave spectrum of formic acid—379(L)
—— **and John Cox.** Millimeter-wave lines of heavy water—778(L)
Ernstein, Norman E. (see Mickelsen, William R.)—485

Farber, Milton and A. J. Darnell. Disproportionation and vapor pressure of $TiCl_2$—526
—— (see Altman, David)—531
Fassel, Velmer A. (see Layton, E. Miller, Jr.)—135
Ferguson, Eldon E. Geometrical structure of benzene-halogen charge transfer complexes—577(L)
Ferguson, J. and W. G. Schneider. Polarization of anthracene crystal fluorescence—780(L)
Fitzgerald, Mary Evelyn, Virginia Griffing, and James Sullivan. Chemical effects of ultrasonics—"hot spot" chemistry—926
Fletcher, William H. and Thomas P. Garrett. Some vibration-rotation bands of diazomethane—50
Foner, S. N. and R. L. Hudson. Ionization potential of the OH free radical by mass spectrometry—602(L)
—— **and R. L. Hudson.** Metastable oxygen molecules produced by electrical discharges—601(L)
Forneris, Roberto (see Stammreich, H.)—580(L), 1277(L), 1278(L)
Fox, R. E. (see Hickam, W. M.)—642
Franck, James and H. Sponer. Remarks on radiationless transitions in complex molecules—172(L)
Frey, H. M. Deuteration of azulene and the structure of the azulinium ion—600(L)
Friedman, Raymond and Joseph A. Cyphers. On the burning rate of carbon monoxide—448
Frisch, H. L. and G. L. Vidale. Coupled anharmonic vibrations as a cause of broadening of spectral bands: hydrogen bonded systems—982
Frost, Arthur A. Delta-function model. I. Electronic energies of hydrogen-like atoms and diatomic molecules—1150
—— **and Frances E. Leland.** Delta-potential function model. II. Aromatic hydrocarbons—1154
—— **and Peter G. Lykos.** Derivation of the virial theorem from the generalized Hellmann-Feynman theorem—1299(L)
Fujita, Junnosuke (see Murata, Hiromu)—796(L)
Fuller, C. S. (see Reiss, H.)—650
Fuson, Nelson (see Josien, Marie-Louise)—1291(L)

Gamo, Itaru (see Shimanouchi, Takehiko)—1245
Ganguly, A. K. and J. L. Magee. Theory of radiation chemistry III. Radical reaction mechanism in the tracks of ionizing radiations—129
Garrett, Thomas P. (see Fletcher, William H.)—50
Garrison, Warren M., Herman R. Haymond, Winifred Bennett, and Sibyl Cole. Radiation-induced oxidation of acetic acid-oxygen solutions—1282(L)
—— **and Boyd M. Weeks.** Mechanism in the radiolysis of aqueous glycine solutions. II—585(L)
—— (see Jayko, Michael E.)—1084(L)
Gayhart, E. L. (see Berl, W. G.)—797(L)
Gehman, William (see Britton, Doyle)—804
Geltman, S. Determination of electron affinities by extrapolation—782(L)
Gerri, Norman J. (see Kaufman, Frederick)—106
Ghormley, J. A. Thermal behavior of amorphous ice—599(L)
Ghosh, S. N. and W. F. Sheridan. Symmetric character in certain unsymmetric charge transfer reactions—1076(L)
Gibbs, Julian H. Nature of the glass transition in polymers—185(L)
Giddings, J. Calvin (see Parlin, Ransom B.)—1161
Giguère, Paul A. and Kenneth B. Harvey. On the presumed spectroscopic evidence for trapped HO_2 radicals—373(L)
Gilbert, Mitchell and David Altman. Effect of isotopic substitution in hydrogen bromine flames—377(L)
Gilkerson, W. R. Application of free volume theory to ion pair dissociation constants—1199
Gilles, Paul W. (see Ackermann, Raymond J.)—1089
Ginsburg, N. (see Teitler, S.)—783(L)
Girifalco, L. A. and R. A. Lad. Energy of cohesion, compressibility, and the potential energy functions of the graphite system—693
Glasner, Abraham and Renata Reisfeld. New experimental method for the evaluation of diffusion constants in alkali halides—381(L)
Glick, Richard E. and Aksel A. Bothner-By. Fine splittings in the nuclear magnetic resonance spectra of alkyl derivatives—362(L)
Goldsmith, Mark (see Amat, Gilbert)—800(L)
Goldstein, J. H. (see Kwak, Nowhan)—1203
—— (see Morgan, H. W.)—337
—— (see Staats, P. A.)—582(L)
Golike, R. C., I. M. Mills, W. B. Person, and Bryce Crawford, Jr. Vibrational intensities. VI. Ethylene and its deutero-isotopes—1266
Gonzalez-Vidal, J., E. Kohn, and F. A. Matsen. Color in olefin sulfuric acid systems—181(L)
Gordon, Alvin S. (see McNesby, James R.)—582(L)
Gordy, Walter (see Jache, Albert W.)—209
Gray, B. F. and H. O. Pritchard. Electrostatic interpretation of directed valence—779(L)
Green, Melville S. Boltzmann equation from the statistical mechanical point of view—836
Greene, L. C. (see Reynolds, D. C.)—1177

Griffel, Maurice, R. E. Skochdopole, and F. H. Spedding. Heat capacity of dysprosium from 15 to 300°K—75
Griffing, Virginia (see Fitzgerald, Mary Evelyn)—926
Gruen, Dieter M., John G. Conway, and Ralph D. McLaughlin. Color centers and luminescence in single crystals of lanthanum trichloride containing dipositive europium—1102
Grunwald, Ernest, A. Lowenstein, and S. Meiboom. Study of the protolysis of methylammonium ion in water by proton magnetic resonance—382(L)
Guenther, A. H. (see Shearer, J. N.)—724
Guggenheim, E. A. (see Bates, R. G.)—361(L)
Günthard, Hs. H., R. C. Lord, and T. K. McCubbin, Jr. Rotation-vibration spectra and the molecular constants of cyclopropane and cyclopropane-d_6—768
Gupta, Ved Swarup. Empirical relation for calculation of specific heat of normal paraffins—373(L)
Gutowsky, H. S. and C. H. Holm. Rate processes and nuclear magnetic resonance spectra. II. Hindered internal rotation of amides—1228
—— (see Williams, G. A.)—1288(L)
Gwinn, William D. (see Tannenbaum, Eileen)—42

Hadden, Stuart T. (see Simha, Robert)—702
Halford, J. O. and G. L. Vidale. Energy levels of the coaxial internal rotator with rectangular potential function—1180
Ham, Norman S. and Klaus Ruedenberg. Electronic interaction in the free-electron network model for conjugated systems. I. Theory—1
—— **and Klaus Ruedenberg.** Electronic interaction in the free-electron network model for conjugated systems. II. spectra of aromatic hydrocarbons—13
Hamill, W. H. (see Meisels, G. G.)—790(L)
Hamilton, Walter C. Quadrupole moment of carbon dioxide—1283(L)
Hamlen, R. P. and W. S. Koski. Cl^{35} nuclear quadrupole resonances in $TiCl_4$ and WCl_6—360(L)
Handler, Paul and Clyde A. Hutchison, Jr. Magnetic susceptibilities of uranium (V) and uranium (III) chlorides—1210
Hanson, Harold P. (see Cotton, F. Albert)—619
Hanson, Harvey and Harald H. Nielsen. Third-order anharmonic resonance in HCN—591(L)
Harned, H. S. (see Bates, R. G.)—361(L)
Harris, Frank E. and Stuart A. Rice. Electrostatic contributions to thermodynamic functions of systems containing polymeric ions—955
Harris, G. M. (see Darbee, L. R.)—605(L)
Harvey, Kenneth B. (see Giguère, Paul A.)—373(L)
Hause, C. D. (see Van Horne, B. H.)—56
Hawkins, N. J. and W. W. Sabol. OsO_4: Infrared spectrum of the vapor and comments on the OVFF constants—775(L)
Hayakawa, Sohachiro (see Oshima, Keichi)—384(L)
Haybittle, J. L., R. D. Saunders, and A. J. Swallow. X- and γ-irradiation of ferrous sulfate in dilute aqueous solution—1213
Haymond, Herman R. (see Garrison, Warren M.)—1282(L)
Hedberg, Kenneth (see Smith, Darwin W.)—1282(L)
Herschbach, Dudley R. Internal barrier in CH_3CH_2F and CH_3CHF_2 from torsional satellites—358(L)
——, **Harold S. Johnston, K. S. Pitzer, and R. E. Howell.** Theoretical pre-exponential factors for twelve bimolecular reactions—736
Hexter, R. M. Relative magnitude of crystalline fields; crystal structure of methyl iodide—1286(L)
—— **and D. A. Dows.** Low-frequency librations and the vibrational spectra of molecular crystals—504
Hickam, W. M. and R. E. Fox. Electron attachment in sulfur hexafluoride using monoenergetic electrons—642
Hill, Terrell L. Surface diffusion and thermal transpiration in fine tubes and pores—730
Hirschfelder, Joseph O. (see Dahler, John S.)—249, 986
Hirt, R. C., F. T. King, and J. C. Cavagnol. Observed $n \rightarrow \pi^*$ bands in the ultraviolet absorption solution spectra of the di-aza-naphthalenes—574
Hoare, James P. and Sigmund Schuldiner. Hydrogen overvoltage on bright iridium and rhodium—786(L)
Hodgins, J. W. (see Hogg, B. G.)—1082(L)
Hodnett, Ernest M. (see Ropp, Gus A.)—587(L)
Hogg, B. G., T. H. Sutherland, D. A. L. Paul, and J. W. Hodgins. Positron decay in solutions of alkali metals in amine type solvents—1082(L)
Holm, C. H. (see Gutowsky, H. S.)—1228
—— (see McConnell, H. M.)—1289(L)
Holzman, G. R., P. C. Lauterbur, John H. Anderson, and W. Koth. Nuclear magnetic resonance field shifts of Si^{29} in various materials—172(L)
Honig, Richard E. (see Drowart, Jean)—581(L)
Hooker, W., M. Lapp, D. Weber, and S. S. Penner. Multiple-path technique for the determination of physico-chemical data behind shock fronts—1087(L)
Hornig, James F., Walter Huber, and Hans Kuhn. Nature of the free electron approximation: The simple example of the H_2^+ ion—1296(L)
Hoskins, Raymond. Electron spin resonance in free radicals derived from diarylamines—788(L)
Howell, Peter A. (see Dickerson, Richard E.)—606(L)
Huber, M. (see Clusius, P. A. K.)—384(L)
Huber, Walter (see Hornig, James F.)—1296(L)
Hudson, Donald E. (see Johnson, Robert G.)—917
Hudson, R. L. (see Foner, S. N.)—601(L), 602(L)
Hull, R. L. (see Morgan, L. O.)—206
Hürzeler, H. (see Clusius, P. A. K.)—384(L)
Hush, N. S. and J. R. Rowlands. Electronic spectra of hydrocarbon anions—1076(L)
Hutchison, Clyde A., Jr., Editor. Announcement—775(L), 1073(L), 1276(L)
——Explanation—608(L)
—— (see Handler, Paul)—1210

Iguchi, Kaoru. Dipole moment of the HCN molecule—217
Inghram, Mark G., Richard F. Porter, and William A. Chupka. Mass spectrometric study of gaseous species in the B—B_2O_3 system—498
Isihara, A. and R. Koyama. Theory of dilute high-polymer solutions (the pearl necklace model)—712
Ito, Mitsuo, Ryoichi Shimada, Tsukasa Kuraishi, and Wataru Mizushima. Vibrational spectra of diazines—597(L)
Itoh, Takashi and Kimio Ohno. Modified atomic orbital method. II. The electronic structure of the oxygen molecule—1098
Ives, D. J. G. (see Bates, R. G.)—361(L)

Jache, Albert W., Paul W. Moser, and Walter Gordy. Millimeter wave spectrum, molecular structure, and dipole moment of hydrogen selenide—209
Jacobs, G. On the additive coloration of KBr crystals—583(L)
Jaffe, Joseph H. and S. Kimel. Infrared intensities in liquids—374(L)
Jansen, Laurens (see Solem, Anson)—686
Janz, G. J. (see Bates, R. G.)—361(L)
Jardetzky, Oleg (see Wertz, John E.)—357(L)
Jarrett, H. S. Hyperfine structure in paramagnetic resonance absorption spectra—1289(L)
——, **G. J. Sloan, and W. R. Vaughan.** Paramagnetic resonance absorption in some organic biradicals—697
Jatar, D. P. and H. D. Sharma. Collisional processes and similarity under the low-frequency silent electric discharge in air—785(L)
—— **and H. D. Sharma.** Generalized secondary electron emission coefficient for the low-frequency silent electric discharge in air—593(L)

Jayko, Michael E. and Warren M. Garrison. Indirect action of radiation on the —NH—CH_2— linkage in diethylamine (A mechanism for radiation-induced decomposition of the peptide chain)—1084(L)
Jeener, J. Velocity of sound in the liquid mixture CCl_4—$C(CH_3)_4$—584(L)
Jeffrey, G. A., G. S. Parry, and R. L. Mozzi. Study of the wurtzite-type binary compounds. I. Structures of aluminum nitride and beryllium oxide—1024
Jenkins, A. C. and F. S. DiPaolo. Some physical properties of pure liquid ozone and ozone-oxygen mixtures—296
Jenkins, F. E. (see Darbee, L. R.)—605(L)
Johnson, Robert G., Donald E. Hudson, Wallace C. Caldwell, Frank H. Spedding, and William R. Savage. Mass spectrometric study of phase changes in aluminum, praseodymium, and neodymium—917
Johnston, Harold S. (see Herschbach, Dudley R.)—736
Jones, Llewellyn H. Infrared spectrum and structure of the thiocyanate ion—1069
—— Polarized infrared spectrum of $KAg(CN)_2$—379(L)
—— **and Mark M. Chamberlain.** Formation of mixed crystals in the use of the alkali-halide disk technique for preparing samples of $KAu(CN)_2$ for infrared spectra—365(L)
Jones, Robert (see Whittaker, A. Greenville)—366(L)
Jones, Robert E. and David H. Templeton. Optimum atomic shape for Bertaut series—1062
Josien, Marie-Louise, Jean Lascombe, and Nelson Fuson. Effect of pressure on the O—H stretching frequency of butanol in nonpolar solvents—1291(L)
Jursa, Adolph (see Marmo, Frederick F.)—187(L)
—— (see Pressman, Jerome)—187(L)

Kakiuti, Yuzo. Binary combination bands of the out-of-plane CH vibrations of benzene derivatives—777(L)
—— **and Takehiko Shimanouchi.** Out-of-plane force constants of benzene—1252
—— (see Shimanouchi, Takehiko)—1245
Kane, J. S. and J. H. Reynolds. Mass spectrometer study of the vapors from red phosphorus and arsenic—342
Kaplan, Lewis D. and David F. Eggers, Jr. Intensity and linewidth of the 15-micron CO_2 band, determined by a curve-of-growth method—876
Karplus, Martin. Charge distribution in the hydrogen molecule—605(L)
Kaufman, Frederick, Norman J. Gerri, and Roger E. Bowman. Role of nitric oxide in the thermal decomposition of nitrous oxide—106
Kawai, Kiyoyasu (see Murata, Hiromu)—589(L), 796(L)
Keefer, R. M. and Thomas L. Allen. Absorption spectra of I_2 and I_4 in CCl_4 solution—1059
Keidel, F. A. and S. H. Bauer. Structures of toluene, phenylsilane, and diphenyldichlorosilane—1218
Keii, Tominaga. On the double-maxima distribution of deutero-paraffins—364(L)
—— Relation between adsorption isotherm and adsorption rate equation—1283(L)
Keller, Fred L., Alvin H. Nielsen, and Wave H. Shaffer. New terms in the potential function of the Y_2X_2 molecules—175(L)
Ketskeméty, I. (see Budó, A.)—595(L)
Kimel, S. (see Jaffe, Joseph H.)—374(L)
Kimura, Katsumi and Masao Kimura. Approximate method in calculating mean-square amplitudes of bonded interatomic distances—362(L)
Kimura, Masao (see Kimura, Katsumi)—362(L)
King, F. T. (see Hirt, R. C.)—574
Kirkwood, J. G. (see Wood, W. W.)—1276(L)
Kisliuk, Paul. Dipole moment of NF_3—779(L)
Kistiakowsky, G. B. and P. H. Kydd. Gaseous detonations. IX. A study of the reaction zone by gas density measurements—824
—— **and Paul C. Mangelsdorf, Jr.** Gaseous detonations. VIII. Two-stage detonations in acetylene-oxygen mixtures—516
—— (see Berkowitz, Joseph)—457
Klemperer, William. Comparison of force constants in radicals and molecules. The halides of zinc, cadmium, and mercury—1066
—— **and Louis Lindeman.** Infrared spectrum of mercuric chloride and bromide—397
Knight, Herbert T. (see Duff, Russell E.)—1301(L)
Kohn, E. (see Gonzalez-Vidal, J.)—181(L)
Kolb, E. D. (see Bridgers, Henry E.)—648
Kondo, Sohei. Thermodynamical fundamental equation for spherical interface—662
Kopczynski, Stanley (see Dickey, Fred P.)—180(L)
Koski, W. S. (see Hamlen, R. P.)—360(L)
Kostkowski, Henry J. (see Broida, Herbert P.)—676
Koth, W. (see Holzman, G. R.)—172(L)
Kowalchik, M. (see Thurmond, C. D.)—799(L)
Koyama, R. (see Isihara, A.)—712
Kozima, Kunio and Kiyoshi Sakashita. On the dynamic equilibrium of inverted isomers in the solid state—177(L)
Krieve, Walter F. and David M. Mason. Measurement of equilibrium of the reaction: $TiCl_3(s)+HCl(g)\rightleftharpoons TiCl_4(g)+\frac{1}{2}H_2(g)$—524
——, **Stephen P. Vango, and David M. Mason.** Calorimetric determination of heats of formation of titanium chlorides—519
Krigbaum, W. R. (see Carpenter, D. K.)—384(L)
Krimm, S., C. Y. Liang, and G. B. B. M. Sutherland. Assignment of the OH in-plane deformation frequency—778(L)
——, **C. Y. Liang, and G. B. B. M. Sutherland.** Infrared spectra of high polymers. II. Polyethylene—549
—— (see Liang, C. Y.)—543
Kromhout, R. A. (see Moulton, W. G.)—34
Kross, Robert D. (see Layton, E. Miller, Jr.)—135
Kruh, R. On the surface tension and structure of molten glasses—1085(L)
Kruse, K. M. M. Use of partially orientated samples and unpolarized radiation in the analysis of infrared absorption spectra of *p*-dichlorobenzene—591(L)
Kuhn, Hans. Physical basis of the free-electron gas model of branched molecules—293
—— (see Hornig, James F.)—1296(L)
Kuipers, G. A., D. F. Smith, and A. H. Nielsen. Infrared spectrum of hydrogen fluoride—275
Kuraishi, Tsukasa (see Ito, Mitsuo)—597(L)
Kuroda, P. K. On the infinite multiplication constant and the age of the uranium minerals—1295(L)
—— On the nuclear physical stability of the uranium minerals—781(L)
——, **R. R. Edwards, and F. T. Ashizawa.** Radiochemical measurements of the natural fission rate of uranium and the natural occurrence of the short-lived iodine isotopes—603(L)
—— (see Parker, P. L.)—1084(L)
Kusch, P. (see Miller, R. C.)—860
Kwak, Nowhan, J. H. Goldstein, and J. W. Simmons. Microwave spectrum of β propiolactone—1203
Kydd, P. H. (see Kistiakowsky, G. B.)—824

Lad, R. A. (see Girifalco, L. A.)—693
Lander, J. J. (see Thomas, D. G.)—1136
Lapp, M. (see Hooker, W.)—1087(L)
Lascombe, Jean (see Josien, Marie-Louise)—1291(L)
Latter, A. and R. Latter. Equation of state of water on the Thomas-Fermi model—1016
Latter, R. (see Latter, A.)—1016
Lauterbur, P. C. (see Holzman, G. R.)—172(L)

Law, Robert W. and John L. Margrave. Mass spectrometer appearance potentials for positive ion fragments from BF_3, $B(CH_3)_3$, $B(C_2H_5)_3$, $B(OCH_3)_3$, and $HB(OCH_3)_2$—1086(L)
Layton, E. Miller, Jr., Robert D. Kross, and Velmer A. Fassel. Correlation of bond length with stretching frequency for carbon-oxygen and carbon-nitrogen systems—135
Leland, Frances E. (see Frost, Arthur A.)—1154
Levy, Gerrit and John E. Willard. Reactions of methane with iodine activated by radiative neutron capture. II—904
Lewis, James E. (see Mueller, Charles R.)—1166
Lewis, R. H. (see Smith, R. R.)—502
Li, James C. M. Clapeyron equation for multicomponent systems—572
Liang, C. Y. and S. Krimm. Infrared spectra of high polymers. III. Polytetrafluoroethylene and polychlorotrifluoroethylene—563
——, **S. Krimm, and G. B. B. M. Sutherland.** Infrared spectra of high polymers. I. Experimental methods and general theory—543
—— (see Krimm, S.)—549, 778(L)
Liddel, Urner and Edwin D. Becker. Temperature-dependent absorption by CH_3OH and $CHCl_3$ in the 3μ region—173(L)
Lide, David R., Jr., and D. E. Mann. Infrared spectrum and structure of perchlorylfluoride—1132
—— **and D. E. Mann.** Search for microwave absorption in perchlorylfluoride—595(L)
Liehr, Andrew D. Butadiene Rydberg spectrum—781(L)
—— **and W. Moffitt.** Rydberg spectrum of benzene—1074(L)
Lindeman, Louis (see Klemperer, William)—397
Lindquist, R. H. (see Becker, E.)—971
Ling, Rufus C. Interatomic potential functions of sodium and potassium—609
—— X-ray scattering by liquid-metal alloys (a kinetic approach)—614
Lipscomb, William N. Charge distribution in the pentaboranes—38
—— (see Dickerson, Richard E.)—606(L)
Lofthus, Alf. Emission band spectra of nitrogen. The fifth positive system—494
Longuet-Higgins, H. C. and J. A. Pople. Transport properties of a dense fluid of hard spheres—884
Lord, R. C. (see Günthard, Hs. H.)—768
Lorell, Jack, Henry Wise, and Russel E. Carr. Steady-state burning of a liquid droplet. II. Bipropellant flame—325
Lorenz, M. R. and J. S. Prener. Effect of crystal structure upon the luminescence of manganese-activated lithium titanate—1013
Lossing, F. P. and Ikuzo Tanaka. Photoionization as a source of ions for mass spectrometry—1031
Low, Manfred J. D. (see Sarmousakis, J. N.)—178(L)
Löwdin, Per-Olov (see Shull, Harrison)—1035
Lowenstein, A. (see Grunwald, Ernest)—382(L)
Ludwig, G. W. Some bromine, iodine, and indium nuclear quadrupole interaction frequencies—159
Lykos, Peter G. and Robert G. Parr. Erratum: On the pi-electron approximation and its possible refinement—1301(L)
—— (see Frost, Arthur A.)—1299(L)
Lyons, L. E. (see Bree, A.)—384(L), 1284(L)

McCauley, Charles E. (see Schuler, Robert H.)—1080(L)
McClure, Donald S. First singlet-singlet electronic transition in the phenanthrene molecule and the band structure of the phenanthrene crystal—481
McConnell, Harden M. Effect of anisotropic hyperfine interactions on paramagnetic relaxation in liquids—709
—— **and C. H. Holm.** Anisotropic chemical shielding and nuclear magnetic relaxation in liquids—1289(L)
—— **and C. A. Reilly.** F^{19} multiplets in the NMR spectrum of $CF_3CCl=CFCl$—184(L)
—— **and H. E. Weaver, Jr.** Rate of electron exchange between cuprous and cupric ions in hydrochloric acid solutions by nuclear magnetic resonance—307
McCubbin, T. K., Jr. (see Günthard, Hs. H.)—768
McEwan, William S. (see Moore, Donald W.)—1235
McEwen, K. Lenore (see Murrell, J. N.)—1143
McGeer, P. L. (see Rathmann, G. B.)—413
McKinley, J. D., Jr. (see Cawthon, T. M.)—585(L)
McLaughlin, Ralph D. (see Gruen, Dieter M.)—1102
McNesby, James R. and Alvin S. Gordon. Mechanism of the isomerization of cyclopropane—582(L)
Macdonald, James Ross. Differential capacitance in electrolytes—364(L)
Mackenzie, J. D. Energy of the B—O bond and the structure of liquid boron trioxide—187(L)
Madden, R. P. and W. S. Benedict. Structure of perchlorylfluoride from high-resolution infrared spectra—594(L)
Magee, J. L. (see Ganguly, A. K.)—129
Magnusson, E. A. (see Craig, D. P.)—383(L)
Malm, John G. (see Claassen, Howard H.)—426
Mangelsdorf, Paul C., Jr. (see Kistiakowsky, G. B.)—516
Mann, D. E. (see Lide, David R., Jr.)—595(L), 1128
Margrave, John L. (see Law, Robert W.)—1086(L)
Marmo, Frederick F., Jerome Pressman, Leonard M. Aschenbrand, Adolph Jursa, and Murray Zelikoff. Formation of an artificial ion cloud; photoionization of NO by solar Lyman alpha at 95 km—187(L)
—— (see Pressman, Jerome)—187(L)
—— (see Watanabe, K.)—965
Mashima, M. Dipole moment of NF_3—779(L)
Mason, David M. (see Altman, David)—531
—— (see Krieve, Walter F.)—519, 524
Mason, E. A., J. Ross, and P. N. Schatz. Energy of interaction between a hydrogen atom and a helium atom—626
—— (see Amdur, I.)—624, 630, 632
Masson, C. R. (see Whiteway, S. G.)—233
Mathieson, Lois and A. L. G. Rees. Electronic states and potential energy diagram of the iodine molecule—753
Matsen, F. A. (see Gonzalez-Vidal, J.)—181(L)
Maurer, R. D. Light scattering by glasses—1206
Mays, John M. and George W. Brady. Nuclear magnetic resonance absorption by H_2O on TiO_2—583(L)
Mecke, Reinhard (see Spiesecke, Hilmar)—577(L)
Mehl, W. (see Bockris, J. O'M.)—776(L)
Meiboom, S. (see Grunwald, Ernest)—382(L)
Meisels, G. G., W. H. Hamill, and R. R. Williams, Jr. Ion-molecule reactions in radiation chemistry—790(L)
Meister, Arnold G., Jerome M. Dowling, and Anthony J. Bielecki. Substituted methanes. XXVII. Potential constants and calculated thermodynamic properties for CH_2F_2, $CHDF_2$, and CD_2F_2—941
Melton, C. E. (see Begun, G. M.)—1292(L)
Menefee, Andrew, Dorman Alford, and C. B. Scott. Hydrogen bonding of the thiol group—370(L)
Mickelsen, William R. and Norman E. Ernstein. Growth rates of turbulent free flames—485
Miller, P. H., Jr. (see Morrison, S. R.)—1064
Miller, R. C. and P. Kusch. Molecular composition of alkali halide vapors—860
Milligan, Dolphus E., Harmon W. Brown, and George C. Pimentel. Infrared absorption by the N_3 radical—1080(L)
Mills, I. M. (see Golike, R. C.)—1266
Minden, Henry T. Space-charge formation in small PbS particles—241
Mitra, Shashanka Shekhar (see Sanyal, Nitish Kumar)—190(L)
Miyagawa, Ichiro (see Morino, Yonezo)—185(L)
Miyashita, I. (see Yokozawa, Y.)—796(L)
Miyazaki, Teruhisa (see Takezaki, Yoshimasa)—536

Mizushima, San-ichiro, Ichiro Nakawaga, and D. M. Sweeny. NH_2 deformation frequencies of inorganic coordination complexes—1006
Mizushima, Wataru (see Ito, Mitsuo)—597(L)
Moffitt, William. Optical rotatory dispersion of helical polymers—467
——Optical rotatory dispersion of transition-metal complexes—1189
—— (see Liehr, A. D.)—1074(L)
Momigny, J. Measurement of molecular excitation potentials by means of an ion source—787(L)
Monk, C. B. (see Bates, R. G.)—361(L)
Moore, Donald W., Lohr A. Burkardt, and William S. McEwan. Viscosity and density of the liquid system TNT-picric acid and four related pure materials—1235
—— (see Whittaker, A. Greenville)—366(L)
Moore, George E. and H. W. Allison. Errata: Adsorption of strontium and of barium on tungsten—190(L)
Morgan, H. W., P. A. Staats, and J. H. Goldstein. Vibrational spectra of formyl fluoride and *d*-formyl fluoride—337
—— (see Staats, P. A.)—582(L)
Morgan, L. O., A. W. Nolle, R. L. Hull, and J. Murphy. Proton relaxation in solutions of chromium (III) complexes—206
Morino, Yonezo, Ichiro Miyagawa, Takehiko Chiba, and Takashi Shimozawa. Pure quadrupole spectra of the isomers of benzene hexachloride—185(L)
Morita, Toshifumi. Bond localization and the hyperconjugative effect in the aromatic carbonium ions—1290(L)
Morrison, S. R. and P. H. Miller, Jr. Adsorption of oxygen on zinc oxide—1064
Moser, Paul W. (see Jache, Albert W.)—209
Moulton, W. G. and R. A. Kromhout. Nuclear magnetic resonance: Structure of the amino group. II—34
Mozzi, R. L. (see Jeffrey, G. A.)—1024
Mueller, Charles R. and James E. Lewis. Isothermal calorimeter and the heat of mixing of iso-octane-perfluoroheptane solutions—1166
Murata, Hiromu and Kiyoyasu Kawai. Vibrational spectra for oxalate ion and oxalic acid—589(L)
——, **Kiyoyasu Kawai, and Junnosuke Fujita.** Vibrational spectra for oxalate ion in coordination compounds—796(L)
Murgai, M. P. On the pressure estimation in impact sensitivity experiments on explosives and the problem of initiation—762
Murphy, J. (see Morgan, L. O.)—206
Murrell, J. N. and K. Lenore McEwen. Importance of doubly excited configurations in the interpretation of electronic spectra—1143
Musulin, Boris. Molecular screening constants—801
Myers, Rollie J. (see Tannenbaum, Eileen)—42
Myers, Vernon W. Calculation of ion scattering by molecules with a 4–12 potential model—1284(L)

Nagano, Hiroshi (see Abe, Hidetaro)—378(L)
—— (see Oshima, Keichi)—384(L)
Nagusa, Mahoko (see Abe, Hidetaro)—378(L)
—— (see Oshima, Keichi)—384(L)
Nakagawa, Ichiro (see Mizushima, San-ichiro)—1006
Nakahara, Noriko (see Takezaki, Yoshimasa)—536
Navidi, M. H. (see Collins, F. C.)—581(L)
Nelson, L. S. and D. A. Ramsay. Absorption spectra of free radicals produced by flash discharges—372(L)
—— **and D. A. Ramsay.** Flash photolysis experiments with a sapphire flash lamp—372(L)
Newman, Carolyn, J. Kenneth O'Loane, S. R. Polo, and M. Kent Wilson. Infrared spectra and molecular structures of SiH_3F, SiH_3Cl, and SiH_3Br—855
Nielsen, Alvin H. (see Keller, Fred L.)—175(L)
—— (see Kuipers, G. A.)—275
Nielsen, Harald H. and K. Narahari Rao. Fermi interaction terms in $C^{13}O_2^{16}$ and $N_2^{14}O^{16}$—1078(L)
—— (see Amat, Gilbert)—800(L)
—— (see Coburn, Theodore J.)—607(L)
—— (see Dalby, F. W.)—934
—— (see Hanson, Harvey)—591(L)
Nixon, Eugene R. (see Wiener, Robert N.)—175(L)
Nolle, A. W. (see Morgan, L. O.)—206

Oda, Zenjiro. Sticking probability of carbon monoxide on evaporated nickel film—592(L)
Ogg, Richard A., Jr., and James D. Ray. Nitryl fluoride: a new method of preparation, nuclear magnetic spectrum and structure—797(L)
——, **and James D. Ray.** Nuclear magnetic N^{14} resonance spectra, molecular structures, and exchange reactions in the system N_2O_5—NO_2^+—NO_3^-—H_2O—1285(L)
Ohno, Kimio (see Itoh, Takashi)—1098
O'Keefe, George (see Bray, P. J.)—792(L)
Okuda, Michio. Electronic structures and electronic spectra of *p*-quinoid compounds—1083(L)
O'Loane, J. Kenneth (see Newman, Carolyn)—855
Olsen, H. L. (see Berl, W. G.)—797(L)
Oriani, Richard A. Supercooling in a binary liquid miscibility-gap system—186(L)
Oshima, Keichi, Sohachiro Hayakawa, Hiroshi Nagano, and Mahoko Nagusa. Erratum: Luminescence spectra of samarium in barium titanate at its transition—384(L)
—— (see Abe, Hidetaro)—378(L)
O'Sullivan, D. G. Treatment of the equations of classical diffusion in homogeneous isotropic media—270

Palik, E. D. and K. Narahari Rao. Pure rotational spectra of CO, NO, and N_2O between 100 and 600 microns—1174
Pandya, T. P. (see Rastogi, R. P.)—1009
Pao, Yoh-Han. Dependence of intrinsic viscosity of dilute solutions of macromolecules on velocity gradient—1294(L)
Paoloni, Leonello. Electronic structure of *s* tetrazine—1277(L)
Pariser, Rudolph. Electronic spectrum and structure of azulene—1112
Parker, P. L. and P. K. Kuroda. Molybdenum-99 in uranium salts and the spontaneous fission half-life of uranium-238—1084(L)
Parlin, Ransom B. and J. Calvin Giddings. Application of probability theory to explosive-ignition phenomena—1161
Parr, Robert G. (see Lykos, Peter G.)—1301(L)
Parry, G. S. (see Jeffrey, G. A.)—1024
Paul, D. A. L. (see Hogg, B. G.)—1082(L)
Penner, S. S. (see Hooker, W.)—1087(L)
Person, W. B. (see Golike, R. C.)—1266
Petrauskas, A. A. (see Young, Jessie M.)—943
Phillips, W. D. Fluorine magnetic resonance spectra of some mono- and di-substituted tetrafluorocyclobutanes—949
Pickup, K. G. and B. M. W. Trapnell. Recombination of hydrogen atoms at metal surfaces—182(L)
Piekara, A. and A. Chelkowski. New experiments on dielectric saturation in polar liquids—794(L)
Pietruskiewicz, A. J. (see Reiss, H.)—650
Pimentel, George C. (see Becker, Edwin D.)—224
—— (see Milligan, Dolphus E.)—1080(L)
Pitzer, K. S. (see Herschbach, Dudley R.)—736
Platt, John R. Wavelength formulas and configuration interaction in Brooker dyes and chain molecules—80
Plyler, Earle K. (see Allen, Harry C., Jr.)—302, 1132
Polo, S. R. (see Newman, Carolyn)—855
Pondy, P. R. and H. C. Beachell. Near infrared spectra of diborane, pentaborane, and decaborane—238
Pople, J. A. (see Longuet-Higgins, H. C.)—884
Porter, Richard F. (see Inghram, Mark G.)—498
Powell, R. E. (see Herschbach, Dudley R.)—736

Prager, Stephen. Periodic precipitation—279
Preiss, John W. and Richard Setlow. Spectra of some amino acids, peptides, nucleic acids, and protein in the vacuum ultraviolet—138
Prener, J. S. Ion pairing in solids—1294(L)
—— **and F. E. Williams.** Self-activation and self-coactivation in zinc sulfide phosphors—361(L)
—— (see Lorenz, M. R.)—1013
Pressman, Jerome, Leonard M. Aschenbrand, Frederick F. Marmo, Adolph Jursa, and Murray Zelikoff. Synthetic atmospheric chemiluminescence caused by the release of NO at 106 km—187(L)
—— (see Marmo, Frederick F.)—187(L)
Pritchard, H. O. Interpretation of the kinetics of mercury alkyl pyrolysis—267
—— (see Gray, B. F.)—779(L)

Ragle, J. L. (see Dodgen, H. W.)—376(L); erratum—1088(L)
Ramsay, D. A. Electronic spectrum and structure of the free NH_2 radical—188(L)
—— (see Nelson, L. S.)—372(L), 372(L)
Rank, D. H. (see Shearer, J. N.)—724
Rao, D. A. A. S. Narayana (see Dryden, J. S.)—222
Rao, K. Narahari (see Coburn, Theodore J.)—607(L)
—— (see Nielsen, Harald H.)—1078(L)
—— (see Palik, E. D.)—1174
Rastogi, R. P. and T. P. Pandya. One-dimensional inviscid flow through a rocket nozzle—1009
—— **and K. T. Rama Varma.** Volume of mixing in mixtures of cyclohexane-cyclohexanol—1077(L)
Rastrup-Andersen, John (see Bak, Børge)—892
Rathmann, G. B., A. J. Curtis, P. L. McGeer, and C. P. Smyth. Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones—413
Ray, James D. (see Ogg, Richard A., Jr.)—797(L), 1285(L)
Reeder, S. D. (see Smith, R. R.)—502
Rees, A. L. G. (see Mathieson, Lois)—753
Reid, C. (see Cohen, A. D.)—790(L)
Reilly, C. A. Measurement of small nuclear spin-spin coupling constants—604(L)
—— (see McConnell, H. M.)—184(L)
Reisfeld, Renata (see Glasner, Abraham)—381(L)
Reiss, Howard. Refined theory of ion pairing. I. Equilibrium aspects—400
—— Refined theory of ion pairing. II. Irreversible aspects—408
—— Theory of the ionization of hydrogen and lithium in silicon and germanium—681
——, **C. S. Fuller, and A. J. Pietruskiewicz.** Solubility of lithium in doped and undoped silicon, evidence for compound formation—650
Remaut, G. (see Boesman, E.)—359(L)
Resler, E. L., Jr. Sound speed in a reacting medium—1287(L)
Reynolds, D. C., L. C. Greene, and L. L. Antes. Properties of a cadmium sulfide photorectifier—1177
Reynolds, J. H. (see Kane, J. S.)—342
Rice, Stuart A. (see Harris, Frank E.)—955
Robertson, H. H. (see Barnett, M. P.)—367(L)
Robertson, R. E. Eyring rate equation and the temperature dependence of solvolytic reactions—375(L)
Robinson, R. A. (see Bates, R. G.)—361(L)
Ropp, Gus A. and Ernest M. Hodnett. Isotope fractionation studies of reactions with cleavage of a carbon-14 to hydrogen bond in the rate-determining step—587(L)
Ross, J. (see Mason, E. A.)—626
Rosser, Willis A., Jr., and Henry Wise. Gas-phase oxidation of ammonia by nitrogen dioxide—1078(L)
Rowlands, J. R. (see Hush, N. S.)—1076(L)
Roy, A. (see Chakraborty, S. C.)—1079(L)
Rubin, Ephraim L. (see Sundheim, Benson R.)—785(L)
Rubin, Robert J. and Kurt E. Shuler. Relaxation of vibrational nonequilibrium distributions. I. Collisional relaxation of a system of harmonic oscillators—59
—— **and Kurt E. Shuler.** Relaxation of vibrational nonequilibrium distributions. II. The effect of the collisional transition probabilities on the relaxation behavior—68
Ruedenberg, Klaus (see Ham, Norman S.)—1, 13

Sabol, W. W. (see Hawkins, N. J.)—775(L)
Sachtler, W. M. H. Work function and electrical conductivity of hydrogen covered nickel films. The effect of contamination—751
Sack, R. A. Statistics of imperfectly flexible molecular chains—1087(L)
Sadô, Akira (see Anno, Tosinobu)—176(L)
Sahni, Roop C. Electronic states of molecules. I. Electronic structure of BH—332
Sakashita, Kiyoshi (see Kozima, Kunio)—177(L)
Sanyal, Nitish Kumar and Shashanka Shekhar Mitra. Errata: Relation between viscosity and surface tension of liquids—190(L)
Sarmousakis, J. N. and Manfred J. D. Low. Chemisorption data and the Elovich equation—178(L)
Saunders, R. D. (see Haybittle, J. L.)—1213
Savage, William R. (see Johnson, Robert G.)—917
Saxena, S. C. Thermal conductivity of He—A—Xe ternary mixture—360(L)
Schaeffer, Riley (see Dickerson, Richard E.)—606(L)
Schatz, P. N. (see Mason, E. A.)—626
Schneider, W. G. and T. C. Waddington. Effect of gases on the photoconductivity of anthracene—358(L)
—— (see Ferguson, J.)—780(L)
Schott, Garry (see Britton, Doyle)—804
Schuldiner, Sigmund (see Hoare, James P.)—786(L)
Schuler, Robert H. and Charles E. McCauley. Recoil energy effects in the hot atom chemistry of iodine—1080(L)
Schumacher, E. (see Clusius, P. A. K.)—384(L)
Scott, C. B. (see Menefee, Andrew)—370(L)
Scott, Robert L. Corresponding states treatment of nonelectrolyte solutions—193
Sears, Gerald W. Growth of mercury platelets from the vapor—637
—— Influence of adsorbed films on crystal growth kinetics—154
—— **and R. V. Coleman.** Growth mechanism of near-perfect crystals—635
Segel, S. L. and R. G. Barnes. Dimerization of solid group IIIB Trihalides. II. Iodine nuclear quadrupole resonance spectra of AlI_3, GaI_3, and InI_3—578(L)
——, **R. G. Barnes, and P. J. Bray.** Nuclear quadrupole resonances of Cl^{35} and Br^{79} in some heterocyclic compounds—1286(L)
—— (see Barnes, R. G.)—180(L)
—— (see Cassabella, P. A.)—1280(L)
Setlow, Richard (see Preiss, John W.)—138
Shaffer, Wave H. (see Keller, Fred L.)—175(L)
Sharma, H. D. (see Jatar, D. P.)—593(L), 785(L)
Shaw, T. M. (see Windle, J. J.)—435
Shearer, J. N., T. A. Wiggins, A. H. Guenther, and D. H. Rank. *l*-type doubling in N_2O—724
Shepp, A. Index of refraction effect on absolute fluorescence measurements—579(L)
Sheridan, W. F. (see Ghosh, S. N.)—1076(L)
Shida, Shoji (see Yamazaki, Hideo)—800(L)
Shimada, Ryoichi (see Ito, Mitsuo)—597(L)
Shimanouchi, Takehiko. General formulas for kinetic energy matrix elements of in-plane vibration in planar molecules—660
——, **Yuzo Kakiuti, and Itaru Gamo.** Out-of-plane CH vibrations of benzene derivatives—1245
—— (see Kakiuti, Yuzo)—1252

Shimomura, Kenji. Structural investigation of $SnBr_4$ by means of nuclear quadrupole resonance—1298(L)
Shimozawa, Takashi (see Morino, Yonezo)—185(L)
Shionoya, Shigeo and Kaiichi Amano. Sensitization of the luminescence of manganese incorporated in zinc sulfide phosphors—380(L)
Shoolery, James N. (see Whittaker, A. Greenville)—366(L)
Shuler, Kurt E. (see Berl, W. G.)—797(L)
—— (see Rubin, Robert J.)—59, 68
Shull, Harrison and Per-Olov Löwdin. Correlation splitting in helium-like ions—1035
Sidman, Jerome W. Electronic and vibrational states of anthracene—115
—— Electronic and vibrational states of tetracene (naphthacene)—122
—— Phosphorescence spectra of the β-halonaphthalenes—229
Sill, R. C. General relation for calculation of Tammann constants for different confining media—369(L)
Silverman, S. M. α→β transformation of quartz—1081(L)
Simha, Robert and Stuart T. Hadden. Application of cell theory to liquid hydrocarbons—702
Simkin, Donald J. (see Bondi, A.)—1073(L)
Simmons, J. W. (see Kwak, Nowhan)—1203
Simpson, William T. Calculation of bond eigenfunction matrix elements with the vector model—1297(L)
—— Modification of the vector model to include a first-order nonorthogonality correction—1124
Singh, Nand Lal and Joseph W. Straley. Vibrational intensities in halogenated methanes. II. Methylene bromide and methylene iodide—490
Skochdopole, R. E. (see Griffel, Maurice)—75
Sloan, G. J. (see Jarrett, H. S.)—697
Slowinski, Emil J., Jr. (see Bellis, Harold E.)—794(L)
Smith, D. F. (see Kuipers, G. A.)—275
Smith, Darwin W. and Kenneth Hedberg. Molecular structure of gaseous dinitrogen tetroxide—1282(L)
Smith, M. and M. C. R. Symons. Absorption spectra of solvated anions—1074(L)
Smith, R. R., S. D. Reeder, and R. H. Lewis. Successive neutron capture in Tb^{159}—502
Smith, Stephen J. (see Branscomb, Lewis M.)—598(L)
Smith, William V. Evaluation of molecular quadrupole moments from microwave spectral line breadths. I. Theoretical—510
Smyth, C. P. (see Rathmann, G. B.)—413
Solem, Anson and Laurens Jansen. On the kinetic energy of molecular electrons in compressed gases—686
Solomon, I. and N. Bloembergen. Nuclear magnetic interactions in the HF molecule—261
Spedding, Frank H. (see Griffel, Maurice)—75
—— (see Johnson, Robert G.)—917
Spencer, Hugh M. Temperature dependence of the heat capacity of gases—357(L)
Spiesecke, Hilmar and Reinhard Mecke. Infrared absorption spectrum of 2,4,6,8,9,10-hexathiaadamantane—577(L)
Sponer, H. (see Franck, James)—172(L)
Staats, P. A., H. W. Morgan, and J. H. Goldstein. Infrared spectrum of TCN—582(L)
—— (see Morgan, H. W.)—337
Stammreich, H., Roberto Forneris, and Yara Tavares. Raman spectra and force constants of GeI_4 and SnI_4—1278(L)
——, **Roberto Forneris, and Yara Tavares.** Raman spectra and force constants of PI_3 and AsI_3—580(L)
——, **Roberto Forneris, and Yara Tavares.** Raman spectrum of thionyl bromide—1277(L)
Steele, W. C. and J. C. Decius. Infrared absorption of lanthanum, scandium, and indium borate, and the force constants of borate ion—1184
Steele, William A. Concerning a theory of multilayer adsorption, with particular reference to adsorbed helium—819
Stillinger, Frank H., Jr. (see Buff, Frank P.)—312
Stokes, R. H. (see Bates, R. G.)—361(L)
Straley, Joseph W. (see Singh, Nand Lal)—490
Strauss, William A. (see Edse, Rudolph)—1241
Suchet, J. P. Effect of minor additions on the resistivity of ferrites—368(L)
Sullivan, James (see Fitzgerald, Mary Evelyn)—926
Sundheim, Benson R. and Ephraim L. Rubin. Critical point and the Born-Green equation—785(L)
Sutherland, G. B. B. M. (see Krimm, S.)—549, 778(L)
—— (see Liang, C. Y.)—543
Sutherland, T. H. (see Hogg, B. G.)—1082(L)
Swallow, A. J. (see Haybittle, J. L.)—1213
Sweeny, D. M. (see Mizushima, San-ichiro)—1006
Symons, M. C. R. and M. Townsend. Electronic spectrum of trapped ethanol radicals—1299(L)
—— (see Smith, M.)—1074(L)

Takezaki, Yoshimasa, Teruhisa Miyazaki, and Noriko Nakahara. Photolysis of dimethyl peroxide—536
Talât-Erben, M. Induction period in uni-bi- and bi-unimolecular consecutive reactions involving fairly reactive intermediates—1293(L)
Tanaka, Ikuzo (see Lossing, F. P.)—1031
Tanczos, Frank I. Calculation of vibrational relaxation times of the chloromethanes—439
Tannenbaum, Eileen, Rollie J. Myers, and William D. Gwinn. Microwave spectra, dipole moment, and barrier to internal rotation of CH_3NO_2 and CD_3NO_2—42
—— (see Bak, Børge)—892
Tavares, Yara (see Stammreich, H.)—580(L), 1277(L), 1278(L)
Taylor, Ellison H. (see Datz, Sheldon)—389, 395
Taylor, Robert C. and Thomas C. Bissot. Raman spectra of phosphorous trifluoride-borane and phosphorous trifluoride-borane-d_3—780(L)
Taylor, William J. Distribution of vibrational frequencies of a crystal by Fourier transformation of the heat capacity—721
Taysum, D. H. *A priori* calculation of the number of bacteria in a turbid suspension—183(L)
Teitler, S. and N. Ginsburg. Debye-Huckel theory and the concentration dependent dielectric constant—783(L)
Templeton, David H. (see Jones, Robert E.)—1062
Thacher, Henry C., Jr. (see Dahler, John S.)—249
Thomaes, G. Thermal diffusion near the critical solution point—32
Thomas, D. G. and J. J. Lander. Hydrogen as a donor in zinc oxide—1136
Thorn, R. J. (see Ackermann, Raymond J.)—1089
Thurmond, C. D., F. A. Trumbore, and M. Kowlachik. Germanium solidus curves—799(L)
Tidwell, Eugene D. (see Allen, Harry C., Jr.)—302
Tietz, T. Atomic energy levels for the approximate Thomas-Fermi potential—789(L)
Tobin, Marvin C. and Matthew J. Carrano. Infrared spectra of polymers. I. Effect of crystallinity on the infrared spectrum of polyethylene and on the infrared spectra of nylon 6 and nylon 11—1044
Torrey, H. C. (see Walter, Robert I.)—319
Townsend, M. (see Symons, M. C. R.)—1299(L)
Trapnell, B. M. W. (see Pickup, K. G.)—182(L)
Trischka, John. Electric dipole moments of the lower vibrational states of molecular CsF and CsCl—784(L)
Trumbore, F. A. (see Thurmond, C. D.)—799(L)
Tuttle, T. R., Jr., R. L. Ward, and S. I. Weissman. Spin density in naphthalene negative ion—189(L)
——, **and S. I. Weissman.** C^{13} hyperfine splitting in naphthalene negative ion—189(L)

Vango, Stephen P. (see Krieve, Walter F.)—519
Van Horne, B. H. and C. D. Hause. Near infrared spectrum of DCl—56

Van Keymeulen, J. Dielectric behavior of kaolinate and dickite—363(L)
Varma, K. T. Rama (see Rastogi, R. P.)—1077(L)
Vaughan, W. R. (see Jarrett, H. S.)—697
Vermilyea, D. A. On the theory of electrolytic crystal growth—1254
Vidale, G. L. (see Frisch, H. L.)—982
—— (see Halford, J. O.)—1180
Volman, David H. Photochemical oxygen-hydrogen reaction at 1849 A—288

Waddington, T. C. (see Compton, D. M. J.)—1075(L)
—— (see Schneider, W. G.)—358(L)
Wallace, W. E. (see Brotherton, T. D.)—1297(L)
Walsh, J. R. (see Craig, D. P.)—588(L)
Walter, Robert I., R. S. Codrington, Amedeo F. D'Adamo, Jr., and H. C. Torrey. Influence of molecular structure on paramagnetic resonance line widths—319
Wang, J. H. (see Corbett, J. W.)—422
Ward, R. L. (see Tuttle, T. R., Jr.)—189(L)
Watanabe, K. and F. F. Marmo. Photoionization and total absorption cross section of gases. II. O_2 and N_2 in the region 850–1500 A—965
Watson, W. W. (see Corbett, J. W.)—385
Weatherly, T. L. and Quitman Williams. Microwave spectrum and molecular constants of nitrosyl bromide—717
Weaver, H. E., Jr. (see McConnell, H. M.)—307
Weber, D. (see Hooker, W.)—1087(L)
Weeks, Boyd M. (see Garrison, Warren M.)—585(L)
Weinstock, Bernard (see Claassen, Howard H.)—426
Weissman, S. I. Isotropic hyperfine interactions in aromatic free radicals—890
—— (see Tuttle, T. R., Jr.)—189(L), 189(L)
Welsh, H. L. (see Cho, C. W.)—371(L)
Wernick, J. H. Determination of diffusivities in liquid metals by means of temperature-gradient zone melting—47
Wertz, John E. and Oleg Jardetzky. Nuclear spin resonance of aqueous sodium ion—357(L)
Wheatley, Peter J. (see Dickerson, Richard E.)—606(L)
Whiteway, S. G. and C. R. Masson. Rate of association of *n*-propyl radicals—233
Whittaker, A. Greenville, Donald W. Moore, James N. Shoolery, and Robert Jones. Observation of thermal isomerization by N—M—R spectroscopy—366(L)
Wiener, Robert N. and Eugene R. Nixon. Infrared spectrum of solid sulfur dioxide—175(L)
Wiggins, T. A. (see Shearer, J. N.)—724
Wilkinson, George R. and M. Kent Wilson. Tin-hydrogen bond distance—784(L)
Willard, John E. (see Levey, Gerrit)—904
Williams, Dudley (see Elleman, Daniel D.)—742
Williams, F. E. (see Prener, J. S.)—361(L)
Williams, G. A. and H. S. Gutowsky. Determination of the signs of nuclear spin-spin indirect coupling constants—1288(L)
Williams, Quitman (see Weatherly, T. L.)—717
Williams, R. L. Infrared spectrum of methyl isocyanide—656
Williams, R. R., Jr. (see Meisels, G. G.)—790(L)
Wilmshurst, J. K. Infrared investigation of acetic acid and acetic acid-*d* vapors and a vibrational assignment for the monomeric acids—1171
—— Vibrational assignment in monomeric formic acid—478
Wilson, M. Kent (see Newman, Carolyn)—855
—— (see Wilkinson, George R.)—784(L)
Windle, J. J. and T. M. Shaw. Dielectric properties of wool-water systems. II. 26 000 megacycles—435
Wise, Henry (see Lorell, Jack)—325
—— (see Rosser, Willis A., Jr.)—1078(L)
Wolfe, Peter N. Microwave spectrum of chloroform—976
Wood, W. W. and J. G. Kirkwood. On the existence of steady-state detonations supported by a single chemical reaction—1276(L)
Wynne-Jones, W. F. K. (see Bates, R. G.)—361(L)

Yamazaki, Hideo and Shoji Shida. Erratum: Mercury photosensitized reaction of cyclo-octatetraene—800(L)
Yokozawa, Y. and I. Miyashita. Electron spin resonance absorption of perylene in sulfuric acid solution—796(L)
Young, Jessie M. and A. A. Petrauskas. Ultrasonic studies of saturated hydrocarbons at low temperatures—943
Young, L. (see Bockris, J. O'M.)—776(L)

Zaromb, Sol. Proton jumps and the electrical behavior of ice and ice-NH_4F solutions—350
Zelikoff, Murray and Leonard M. Aschenbrand. Vacuum ultraviolet photochemistry. Part IV. NO at 1236 A—674
—— (see Marmo, Frederick F.)—187(L)
—— (see Pressman, Jerome)—187(L)
Zucker, I. J. Intermolecular potentials of the inert gases from solid state data—915
Zwanzig, Robert W. Influence of molecular electric quadrupole moments on dielectric constants—211

THE JOURNAL OF CHEMICAL PHYSICS VOLUME 25, NUMBER 6 DECEMBER, 1956

Analytic Subject Index to Volume 25

(References with (L) are to Letters to the Editor)

Absorption Spectra
Absorption spectra of free radicals produced by flash discharges, L. S. Nelson and D. A. Ramsey—372(L)
Absorption spectra of I_2 and I_4 in CCl_4 solution, R. M. Keefer and Thomas L. Allen—1059
Absorption spectra of solvated anions, M. Smith and M. C. R. Symons—1074(L)
Anisotropic color centers in α-quartz. Part. I. Smoky quartz, Alvin J. Cohen—908
Application of vapor chromatography to infrared spectroscopy of liquids, Harold E. Bellis and Emil J. Slowinski, Jr.—794(L)
Assignment of the OH in-plane deformation frequency, S. Krimm, C. Y. Liang, and G. B. B. M. Sutherland—778(L)
Binary combination bands of the out-of-plane CH vibrations of benzene derivatives, Yuzo Kakiuti—777(L)
Butadiene Rydberg spectrum, Andrew D. Liehr—781(L)
Color centers and luminescence in single crystals of lanthanum trichloride containing dipositive europium, Dieter M. Gruen, John G. Conway, and Ralph D. McLaughlin—1102
Color in olefin sulfuric acid systems, J. Gonzalez-Vidal, E. Kohn, and F. A. Matsen—181(L)
Coloration of rocksalt by the Rexer method, E. Boesman, G. Remaut, and W. Dekeyser—359(L)
Combination band $\nu_4+\nu_5$ of acetylene, Theodore J. Coburn, K. Narahari Rao, and H. H. Nielsen—607(L)

Absorption Spectra (continued)
Comparison of force constants in radicals and molecules. The halides of zinc, cadmium, and mercury, William Klemperer—1066
Correlation of bond length with stretching frequency for carbon-oxygen and carbon-nitrogen systems, E. Miller Layton, Jr., Robert D. Kross, and Velmer A. Fassel—135
Coupled anharmonic vibrations as a cause of broadening of spectral bands: Hydrogen bonded systems, H. L. Frisch and G. L. Vidale—982
Effect of pressure on the O—H stretching frequency of butanol in nonpolar solvents, Marie-Louise Josien, Jean Lascombe, and Nelson Fuson—1291(L)
Electronic and vibrational states of anthracene, Jerome W. Sidman—115
Electronic and vibrational states of tetracene (naphthacene), Jerome W. Sidman—122
Electronic interaction in the free-electron network model for conjugated systems. I. Theory, Norman S. Ham and Klaus Ruedenberg—1
Electronic interaction in the free-electron network model for conjugated systems. II. Spectra of aromatic hydrocarbons, Norman S. Ham and Klaus Ruedenberg—13
Electronic spectra of hydrocarbon anions, N. S. Hush and J. R. Rowlands—1076(L)
Electronic spectra of polyacetylenes, Michael Beer—745
Electronic spectrum and structure of azulene, Rudolph Pariser—1112
Electronic spectrum and structure of the free NH_2 radical, D. A. Ramsay—188(L)
Electronic spectrum of trapped ethanol radicals, M. C. R. Symons and M. Townsend—1299(L)
Electronic states and potential energy diagram of the iodine molecule, Lois Mathieson and A. L. G. Rees—753
Electronic structures and electronic spectra of *p*-quinoid compounds, Michio Okuda—1083(L)
Evaluation of molecular quadrupole moments from microwave spectral line breadths. I. Theoretical, William V. Smith—510
Fermi interaction terms in $C^{13}C_2^{16}$ and $N_2^{14}O^{16}$, Harald H. Nielsen and K. Narahari Rao—1078(L)
First singlet-singlet electronic transition in the phenanthrene molecule and the band structure of the phenanthrene crystal, Donald S. McClure—481
Flash photolysis experiments with a sapphire flash lamp, L. S. Nelson and D. A. Ramsay—372(L)
Formation of mixed crystals in the use of the alkali-halide disk technique for preparing samples of $KAu(CN)_2$ for infrared spectra, Llewellyn H. Jones and Mark M. Chamberlain—365(L)
Geometrical structure of benzene-halogen charge transfer complexes, Eldon E. Ferguson—577(L)
Hydrogen bonding of the thiol group, Andrew Menefee, Dorman Alford, and C. B. Scott—370(L)
Importance of doubly excited configurations in the interpretation of electronic spectra, J. N. Murrell and K. Lenore McEwen—1143
Infrared absorption by the N_3 radical, Dolphus E. Milligan, Harmon W. Brown, and George C. Pimentel—1080(L)
Infrared absorption of lanthanum, scandium, and indium borate and the force constants of borate ion, W. C. Steele and J. C. Decius—1184
Infrared absorption spectrum of 2,4,6,8,9,10-hexathiaadamantane, Hilmar Spiesecke and Reinhard Mecke—577(L)
Infrared flow dichroism, George R. Bird and Eklan R. Blout—798(L)
Infrared intensities in liquids, Joseph H. Jaffe and S. Kimel—374(L)
Infrared investigation of acetic acid and acetic acid-*d* vapors and a vibrational assignment for the monomeric acids, J. K. Wilmshurst—1171
Infrared spectra and molecular structures of SiH_3F, SiH_3Cl, and SiH_3Br, Carolyn Newman, J. Kenneth O'Loane, S. R. Polo, and M. Kent Wilson—855
Infrared spectra of high polymers. I. Experimental methods and general theory, C. Y. Liang, S. Krimm, and G. B. B. M. Sutherland—543
Infrared spectra of high polymers. II. Polyethylene, S. Krimm, C. Y. Liang, and G. B. B. M. Sutherland—549
Infrared spectra of high polymers. III. Polytetrafluoroethylene and polychlorotrifluoroethylene, C. Y. Liang and S. Krimm—563
Infrared spectra of hydrogen cyanide and deuterium cyanide, Harry C. Allen, Jr., Eugene D. Tidwell, and Earle K. Plyler—302
Infrared spectra of polymers. I. The effect of crystallinity on the infrared spectrum of polyethylene and on the infrared spectra of nylon 6 and nylon 11, Marvin C. Tobin and Matthew J. Carrano—1044
Infrared spectra of selenium hexafluoride and tellurium hexafluoride, T. G. Burke—791(L)
Infrared spectrum and structure of perchlorylfluoride, David R. Lide, Jr. and D. E. Mann—1128
Infrared spectrum and structure of the thiocyanate ion, Llewellyn H. Jones—1069
Infrared spectrum of hydrogen fluoride, G. A. Kuipers, D. F. Smith, and A. H. Nielsen—275
Infrared spectrum of hydrogen sulfide, Harry C. Allen, Jr., and Earle K. Plyler—1132
Infrared spectrum of mercuric chloride and bromide, William Klemperer and Louis Lindeman—397
Infrared spectrum of methyl isocyanide, R. L. Williams—656
Infrared spectrum of solid sulfur dioxide, Robert N. Wiener and Eugene R. Nixon—175(L)
Infrared spectrum of TCN, P. A. Staats, H. W. Morgan, and J. H. Goldstein—582(L)
Infrared spectrum of water vapor. Part I. The 6.26μ region, F. W. Dalby and H. H. Nielsen—934
Intensity and line-width of the 15 micron CO_2 band, determined by a curve-of-growth method, Lewis D. Kaplan and David F. Eggers, Jr.—876
Internal barrier in CH_3CH_2F and CH_3CHF_2 from torsional satellites, Dudley R. Herschbach—358(L)
Low-frequency librations and the vibrational spectra of molecular crystals, R. M. Hexter and D. A. Dows—504
Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones, G. B. Rathmann, A. J. Curtis, P. L. McGeer, and C. P. Smyth—413
Microwave spectra, dipole moment, and barrier to internal rotation of CH_3NO_2 and CD_3NO_2, Eileen Tannenbaum, Rollie J. Myers, and William D. Gwinn—42
Microwave spectra of thiophene, 2- and 3-monodeutero, 3,3′-dideutero-, and tetradeuterothiophene. Structure of the thiophene molecule, Børge Bak, Daniel Christensen, John Rastrup-Andersen, and Eileen Tannenbaum—892
Microwave spectrum and molecular constants of nitrosyl bromide, T. L. Weatherly and Quitman Williams—717
Microwave spectrum of β propiolactone, Nowhan Kwak, J. H. Goldstein, and J. W. Simmons—1203
Microwave spectrum of chloroform, Peter N. Wolfe—976
Microwave spectrum of NO_2: A rigid rotor analysis, George R. Bird—1040
Millimeter-wave lines of heavy water, Gunnar Erlandsson and John Cox—778(L)
Millimeter wave spectrum, molecular structure, and dipole moment of hydrogen selenide, Albert W. Jache, Paul W. Moser, and Walter Gordy—209

Millimeter wave spectrum of formaldehyde, Gunnar Erlandsson—579(L)
Millimeter wave spectrum of formic acid, Gunnar Erlandsson—379(L)
Multiple-path technique for the determination of physicochemical data behind shock fronts, W. Hooker, M. Lapp, D. Weber, and S. S. Penner—1087(L)
Near infrared spectra of diborane, pentaborane, and decaborane, P. R. Pondy and H. C. Beachell—238
Near infrared spectrum of DCl, B. H. Van Horne and C. D. Hause—56
New terms in the potential function of the Y_2X_2 molecule, Fred L. Keller, Alvin H. Nielsen, and Wave H. Shaffer—175(L)
NH_2 deformation frequencies of inorganic coordination complexes, San-ichiro Mizushima, Ichiro Nakagawa, and D. M. Sweeney—1006
Normal coordinate treatment for the out-of-plane vibrations of ethylene-type molecules, Jerome M. Dowling—284
Observed $n\rightarrow\pi^*$ bands in the ultraviolet absorption solution spectra of the di-aza-naphthalenes, R. C. Hirt, F. T. King, and J. C. Cavagnol—574
l-Type doubling in N_2O, J. N. Shearer, T. A. Wiggins, A. H. Guenther, and D. H. Rank—724
OsO_4: Infrared spectrum of the vapor and comments on the OVFF constants, N. J. Hawkins and W. W. Sabol—775(L)
Out-of-plane CH vibrations of benzene derivatives, Takehiko Shimanouchi, Yuzo Kakiuti, and Itaru Gamo—1245
Out-of-plane force constants of benzene, Yuzo Kakiuti and Takehiko Shimanouchi—1252
Polarized infrared spectrum of $KAg(CN)_2$, Llewellyn H. Jones—379(L)
Presumed spectroscopic evidence for trapped HO_2 radicals, Paul A. Giguere and Kenneth B. Harvey—373(L)
Properties of a cadmium sulfide photorectifier, D. C. Reynolds, L. C. Greene, and L. L. Antes—1177
Pure rotational spectra of CO, NO and N_2O between 100 and 600 microns, E. D. Palik and K. Narahari Rao—1174
Relative basicity of alkyl benzenes, Denys Cook—788(L)
Rotation-vibration spectra and the molecular constants of cyclopropane and cyclopropane-d_6, Hs. H. Günthard, R. C. Lord, and T. M. McCubbin, Jr.—768
Rydberg spectrum of benzene, A. D. Liehr and W. Moffitt—1074(L)
Search for microwave absorption in perchlorylfluoride, David R. Lide, Jr., and D. E. Mann—595(L)
Spectra of some amino acids, peptides, nucleic acids, and protein in the vacuum ultraviolet, John W. Preiss and Richard Setlow—138
Spectroscopic observations on pentaborane-air flames and explosions, W. G. Berl, E. L. Gayhart, H. L. Olsen, H. P. Broida, and K. E. Shuler—797(L)
Spectroscopic studies of reactive molecules by the matrix isolation method, Edwin D. Becker and George C. Pimentel—224
Structure of perchlorylfluoride from high-resolution infrared spectra, R. P. Madden and W. S. Benedict—594(L)
Structure of the hexafluorobenzene molecule, Luc Delbouille—182(L)
Structure of the infrared "atmospheric" bands in liquid oxygen, C. W. Cho, Elizabeth J. Allin, and H. L. Welsh—371(L)
Temperature-dependent absorption by CH_3OH and $CHCl_3$ in the 3μ region, Urner Liddel and Edwin D. Becker—173(L)
Theory of rotational-vibrational interaction in polyatomic molecules, Lewis J. Bodi and C. F. Curtiss—1117
Third-order anharmonic resonance in HCN, Harvey Hanson and Harald H. Nielsen—591(L)
Tin-hydrogen bond distance, George R. Wilkinson and M. Kent Wilson—784(L)
Tunneling through high periodic barriers. I., T. P. Das—896
Use of partially oriented samples and unpolarized radiation in the analysis of infrared absorption spectra of *P*-dichlorobenzene, K. M. M. Kruse—591(L)
Vibration-rotation bands of diazomethane, William H. Fletcher and Thomas P. Garrett—50
Vibrational assignment in monomeric formic acid, J. K. Wilmshurst—478
Vibrational intensities VI: Ethylene and its deuteroisotopes, R. C. Golike, I. M. Mills, W. B. Person, and Bruce Crawford, Jr.—1266
Vibrational intensities in halogenated methanes. II. Methylene bromide and methylene iodide, Nand Lal Singh and Joseph W. Straley—490
Vibrational spectra for oxalate ion and oxalic acid, Hiromu Murata and Kiyoyasu Kawai—589(L)
Vibrational spectra for oxalate ion in coordination compounds, Hiromu Murata, Kiyoyasu Kawai, and Junnosuke Fujita—796(L)
Vibrational spectra of diazines, Mitsuo Ito, Ryoichi Shimada, Tsukasa Kuraishi, and Wataru Mizushima—597(L)
Vibrational spectra of formyl fluoride and *d*-formyl fluoride, H. W. Morgan, P. A. Staats, and J. H. Goldstein—337
Wavelength formulas and configuration interaction in Brooker dyes and chain molecules, John R. Platt—80
Infrared of
Acetic acid and acetic acid-*d* vapors, J. K. Wilmshurst—1171
Alkyl benzenes, Denys Cook—788(L)
Benzene, Yuzo Kakiuti and Takehiko Shimanouchi—1252
Benzene, Takehiko Shimanouchi, Yuzo Kakiuti, and Itaru Gamo—1245
Benzene derivatives, Yuzo Kakiuti—777(L)
Benzene-halogen charge transfer complexes, Eldon E. Ferguson—577(L)
Butanol, Marie-Louise Josien, Jean Lascombe, and Nelson Fuson—1291(L)
Carbon-oxygen and carbon-nitrogen systems, E. Miller Layton, Jr., Robert D. Kross, and Velmer A. Fassel—135
$C^{12}O_2^{16}$ and $N_2^{14}O^{16}$, Harald H. Nielsen and K. Narahari Rao—1078(L)
CH_3OH and $CHCl_3$, Urner Liddel and Edwin D. Becker—173(L)
CO_2, Lewis D. Kaplan and David F. Eggers, Jr.—876
CO, NO and N_2O, E. D. Palik and K. Narahari Rao—1174
Cyclopropane and cyclopropane-d_6, Hs. H. Günthard, R. C. Lord, and T. M. McCubbin, Jr.—768
Diazines, Mitsuo Ito, Ryoichi Shimada, Tsukasa Kuraishi, and Wataru Mizushima—597(L)
Diazomethane, William H. Fletcher and Thomas P. Garrett—50
Diborane, pentaborane, and decaborane, P. R. Pondy and H. C. Beachell—238
DCl, B. H. Van Horne and C. D. Hause—56
Ethylene and its deuteroisotopes, R. C. Golike, I. M. Mills, W. B. Person, and Bruce Crawford, Jr.—1266
Ethylene-type molecules, Jerome M. Dowling—284
Formic acid, J. K. Wilmshurst—478
Formyl fluoride and *d*-formyl fluoride, H. W. Morgan, P. A. Staats, and J. H. Goldstein—337
Hexafluorobenzene, Luc Delbouille—182(L)
Hydrogen bonded systems, H. L. Frisch and G. L. Vidale—982
HCN, Harvey Hanson and Harald H. Nielsen—591(L)
Hydrogen cyanide and deuterium cyanide, Harry C. Allen, Jr., Eugene D. Tidwell, and Earle K. Plyler—302
Hydrogen fluoride, G. A. Kuipers, D. F. Smith, and A. H. Nielsen—275

Absorption Spectra (continued)
HO_2, Paul A. Giguere and Kenneth B. Harvey—373(L)
Hydrogen sulfide, Harry C. Allen, Jr. and Earle K. Plyler—1132
$KAg(CN)_2$, Llewellyn H. Jones—379(L)
$KAu(CN)_2$, Llewellyn H. Jones and Mark M. Chamberlain—365(L)
Lanthanum, scandium, and indium borate, W. C. Steele and J. C. Decius—1184
Liquids, Harold E. Bellis and Emil J. Slowinski, Jr.—794(L)
Liquids, Joseph H. Jaffe and S. Kimel—374(L)
Mercuric chloride and bromide, William Klemperer and Louis Lindeman—397
Methyl isocyanide, R. L. Williams—656
Methylene bromide and methylene iodide, Nand Lal Singh and Joseph W. Straley—490
Molecular crystals, R. M. Hexter and D. A. Dows—504
N_3, Dolphus E. Milligan, Harmon W. Brown, and George C. Pimentel—1080(L)
NH_2, San-ichiro Mizushima, Ichiro Nakagawa, and D. M. Sweeny—1006
N_2O, J. N. Shearer, T. A. Wiggins, A. H. Guenther, and D. H. Rank—724
OH, S. Krimm, C. Y. Liang, and G. B. B. M. Sutherland—778(L)
OsO_4, N. J. Hawkins and W. W. Sabol—775(L)
Oxalate ion, Hiromu Murata, Kiyoyasu Kawai, and Junnosuke Fujita—796(L)
Oxalate ion and oxalic acid, Hiromu Murata and Kiyoyasu Kawai—589(L)
Oxygen liquid, C. W. Cho, Elizabeth J. Allin, and H. L. Welsh—371(L)
P-dichlorobenzene, K. M. M. Kruse—591(L)
Perchlorylfluoride, David R. Lide, Jr. and D. E. Mann—1128
Perchlorylfluoride, R. P. Madden and W. S. Benedict—594(L)
Poly-γ-benzyl-*L*-glutamate, George R. Bird and Eklan R. Blout—798(L)
Polyatomic molecules, Lewis J. Bodi and C. F. Curtiss—1117
Polyethylene, S. Krimm, C. Y. Liang, and G. B. B. M. Sutherland—549
Polyethylene, nylon 6 and nylon 11, Marvin C. Tobin and Matthew J. Carrano—1044
Polymers, C. Y. Liang, S. Krimm, and G. B. B. M. Sutherland—543
Polytetrafluoroethylene and polychlorotrifluoroethylene, C. Y. Liang and S. Krimm—563
Reactive molecules, Edwin D. Becker and George C. Pimentel—224
Selenium hexafluoride and tellurium hexafluoride, T. G. Burke—791(L)
SiH_3F, SiH_3Cl, and SiH_3Br, Carolyn Newman, J. Kenneth O'Loane, S. R. Polo, and M. Kent Wilson—855
Sulfur dioxide, Robert N. Wiener and Eugene R. Nixon—175(L)
TCN, P. A. Staats, H. W. Morgan, and J. H. Goldstein—582(L)
Thiocyanate ion, Llewellyn H. Jones—1069
Thiol group, Andrew Menefee, Dorman Alford, and C. B. Scott—370(L)
Tin-hydrogen bond, George R. Wilkinson and M. Kent Wilson—784(L)
2,4,6,8,9,10-hexathiaadamantane, Hilmar Spiesecke and Reinhard Mecke—577(L)
Water vapor. Part I. The 6.26μ region, F. W. Dalby and H. H. Nielsen—934
Y_2X_2 molecule, Fred L. Keller, Alvin H. Nielsen, and Wave H. Shaffer—175(L)
Zinc, cadmium, and mercury, William Klemperer—1066
Microwave of
Aliphatic ethers and long-chain ketones, G. B. Rathmann, A. J. Curtis, P. L. McGeer, and C. P. Smyth—413
β propiolactone, Nowhan Kwak, H. H. Goldstein, and J. W. Simmons—1203
CH_3CH_2F and CH_3CHF_2, Dudley R. Herschbach—358(L)
CH_3NO_2 and CD_3NO_2, Eileen Tannenbaum, Rollie J. Myers, and William D. Gwinn—42
CH_3SiF_3, CH_3SiH_3 and CH_3SiD_3, T. P. Das—896
Chloroform, Peter N. Wolfe—976
Formaldehyde, Gunnar Erlandsson—579(L)
Formic acid, Gunnar Erlandsson—379(L)
Hydrogen selenide, Albert W. Jache, Paul W. Moser, and Walter Gordy—209
N_2O, J. N. Shearer, T. A. Wiggins, A. H. Guenther, and D. H. Rank—724
NO_2: A rigid rotor analysis, George R. Bird—1040
Nitrosyl bromide, T. L. Weatherly and Quitman Williams—717
OCS, HN_3, William V. Smith—510
Perchlorylfluoride, David R. Lide, Jr., and D. E. Mann—595(L)
2- and 3-monodeutero, 3,3′-dideutero-, and tetradeuterothiophene, Børge Bak, Daniel Christensen, John Rastrup-Andersen, and Eileen Tannenbaum—892
Water, heavy, Gunnar Erlandsson and John Cox—778(L)
Of Crystals
$KAg(CN)_2$, Llewellyn H. Jones—379(L)
Lanthanum, scandium, and indium borate, W. C. Steele and J. C. Decius—1184
Molecular crystals, R. M. Hexter and D. A. Dows—504
P-dichlorobenzene, K. M. M. Kruse—591(L)
Rocksalt, E. Boesman, G. Remaut, and W. Dekeyser—359(L)
Visible or Ultraviolet of
Acetylene, Theodore J. Coburn, K. Narahari Rao, and H. H. Nielsen—607(L)
Amino acids, peptides, nucleic acids, and protein, John W. Preiss and Richard Setlow—138
Anthracene, Jerome W. Sidman—115
Aromatic hydrocarbons, Norman S. Ham and Klaus Ruedenberg—13
Azulene, Rudolph Pariser—1112
Benzene, A. D. Liehr and W. Moffitt—1074(L)
Brooker dyes and chain molecules, John R. Platt—80
Butadiene, Andrew D. Liehr—781(L)
Cadmium sulfide, D. C. Reynolds, L. C. Greene, and L. L. Antes—1177
Color centers, europium, in single crystals of lanthanum trichloride, Dieter M. Gruen, John G. Conway, and Ralph D. McLaughlin—1102
Color centers in α-quartz. Part. I. Smoky quartz, Alvin J. Cohen—908
Conjugated systems, Norman S. Ham and Klaus Ruedenberg—1
Diazines, Mitsuo Ito, Ryoichi Shimada, Tsukasa Kuraishi, and Wataru Mizushima—597(L)
Di-aza-naphthalenes, R. C. Hirt, F. T. King, and J. C. Cavagnol—574
Doubly excited configurations, J. N. Murrell and K. Lenore McEwen—1143
Ethanol radicals, M. C. R. Symons and M. Townsend—1299(L)
Free radicals, L. S. Nelson and D. A. Ramsay—372(L)
Hydrocarbon anions, N. S. Hush and J. R. Rowlands—1076(L)
I_2 and I_4 in CCl_4, R. M. Keefer and Thomas L. Allen—1059

Iodine molecule, Lois Mathieson and A. L. G. Rees—753
NH_2 radical, D. A. Ramsay—188(L)
Olefin sulfuric acid systems, J. Gonzalez-Vidal, E. Kohn, and F. A. Matsen—181(L)
P-quinoid compounds, Michio Okuda—1083(L)
Pentaborane-air flames and explosions, W. G. Berl, E. L. Gayhart, H. L. Olsen, H. P. Broida, and K. E. Shuler—797(L)
Phenanthrene molecule and phenanthrene crystal, Donald S. McClure—481
Polyacetylenes, Michael Beer—745
Solvated anions, M. Smith and M. C. R. Symons—1074(L)
Tetracene (naphthacene), Jerome W. Sidman—122

Accommodation Coefficients

Adsorption (see **Surface Phenomena**)

Apparatus and Methods

Application of vapor chromatography to infrared spectroscopy of liquids, Harold E. Bellis and Emil J. Slowinski, Jr.—794(L)
Infrared flow dichroism, George R. Bird and Eklan R. Blout—798(L)
Isothermal calorimeter and the heat of mixing of iso-octane-perfluoroheptane solutions, Charles R. Mueller and James E. Lewis—1166
Multiple-path technique for the determination of physicochemical data behind shock fronts, W. Hooker, M. Lapp, D. Weber and S. S. Penner—1087(L)
New experimental method for the evaluation of diffusion constants in alkali halides, Abraham Glasner and Renata Reisfeld—381(L)
New experiments on dielectric saturation in polar liquids, A. Piekara and A. Chelkowski—794(L)
Nitryl fluoride: A new method of preparation, nuclear magnetic spectrum and structure, Richard A. Ogg, Jr., and James D. Ray.—797(L)
Precision flash x-ray determination of density ratio in gaseous detonations, Russell E. Duff and Herbert T. Knight—1301(L)

Catalysis

Catalytic effects of TiO_2 and MnO_2 on the phase transformation of Gothite, S. C. Chadraborty and A. Roy—1079(L)
Double-maxima distribution of deutero-paraffins, Tominaga Keii—364(L)

Centrifugation

Chemical Reactions (see **Kinetics of Reactions**)

Conductance

Adsorption of oxygen on zinc oxide, S. R. Morrison and P. H. Miller, Jr.—1064
Collisional processes and similarity under the low-frequency silent electric discharge in air, D. P. Jatar and H. D. Sharma—785(L)
Effect of gases on the photoconductivity of anthracene, W. G. Schneider and T. C. Waddington—358(L)
Effect of heat upon anthracene photoconductance in air, A. Bree and L. E. Lyons—1284(L)
Effect of the gaseous atmosphere on the photoconduction and semiconduction of aromatic hydrocarbon crystals, A. Bree and L. E. Lyons—384(L)
Effect of minor additions on the resistivity of ferrites, J. P. Suchet—368(L)
Generalized secondary electron emission coefficient for the low-frequency silent electric discharge in air, D. P. Jatar and H. D. Sharma—593(L)
Hydrogen as a donor in zinc oxide, D. G. Thomas and J. J. Lander—1136
Metastable oxygen molecules produced by electrical discharges, S. N. Foner and R. L. Hudson—602(L)
Properties of a cadmium sulfide photorectifier, D. C. Reynolds, L. C. Greene, and L. L. Antes—1177

Crystal Growth

Influence of adsorbed films on crystal growth kinetics, Gerald W. Sears—154
Theory of electrolytic crystal growth, D. A. Vermilyea—1254

Crystalline State

Additive coloration of KBr crystals, G. Jacobs—583(L)
Adsorption of oxygen on zinc oxide, S. R. Morrison and P. H. Miller, Jr.—1064
$\alpha \rightarrow \beta$ transformation of quartz, S. M. Silverman—1081(L)
Anisotropic color centers in α-quartz. Part I. Smoky quartz, Alvin J. Cohen—908
As^{75} pure quadrupole resonance in synthetic claudetite, P. J. Bray, George O'Keefe, and R. G. Barnes—792(L)
Bromine, iodine, and indium nuclear quadrupole interaction frequencies, G. W. Ludwig—159
Catalytic effects of TiO_2 and MnO_2 on the phase transformation of Gothite, S. C. Chadraborty and A. Roy—1079(L)
Color centers and luminescence in single crystals of lanthanum trichloride containing dipositive europium, Dieter M. Gruen, John G. Conway, and Ralph D. McLaughlin—1102
Coloration of rocksalt by the Rexer method, E. Boesman, G. Remaut, and W. Dekeyser—359(L)
Contribution of other than next neighbors in energy calculations for non-ionic liquids and solids, A. D. Crowell—1264
Crystal structure of barium and europium at 293, 78, and 5°K, C. S. Barrett—1123
Dielectric absorption in lithium fluoride, J. S. Dryden and D. A. A. S. Narayana Rao—222
Dielectric behavior of kaolinite and dickite, J. Van Keymeulen—363(L)
Dimerization of solid group IIIB trihalides. I. Bromine nuclear quadrupole resonance spectrum of $AlBr_3$, R. G. Barnes and S. L. Segel—180(L)
Distribution coefficient of boron in germanium, Henry E. Bridgers and E. D. Kolb—648
Distribution of vibrational frequencies of a crystal by Fourier transformation of the heat capacity, William J. Taylor—721
Dynamic equilibrium of inverted isomers in the solid state, Kunio Kozima and Kiyoshi Sakashita—177(L)
Effect of crystal structure upon the luminescence of manganese-activated lithium titanate, M. R. Lorenz and J. S. Prener—1013
Effect of minor additions on the resistivity of ferrites, J. P. Suchet—368(L)
Effect of the gaseous atmosphere on the photoconduction and semiconduction of aromatic hydrocarbon crystals, A. Bree and L. E. Lyons—384(L)
Energy of cohesion, compressibility, and the potential energy functions of the graphite system, L. A. Girifalco and R. A. Lad—693
Exciton shape dependence and Davydov splitting in aromatic crystals, D. P. Craig and J. R. Walsh—588(L)
Formation of mixed crystals in the use of the alkali-halide disk technique for preparing samples of $KAu(CN)_2$ for infrared spectra, Llewellyn H. Jones and Mark M. Chamberlain—365(L)
General relation for calculation of Tamann constants for different confining media, R. C. Sill—369(L)
Germanium solidus curves, C. D. Thurmond, F. A. Trumbore, and M. Kowalchik—799(L)
Growth mechanism of near-perfect crystals, G. W. Sears and R. V. Coleman—635
Growth of mercury platelets from the vapor, Gerald W. Sears—637
Heat capacity of dysprosium from 15 to 300°K, Maurice Griffel, R. E. Skochdopole, and F. H. Spedding—75

Crystalline State (continued)
High temperature thermodynamic properties of uranium dioxide, Raymond J. Ackermann, Paul W. Gilles, and R. J. C. Thorn—1089
Hydrogen as a donor in zinc oxide, D. G. Thomas and J. J. Lander—1136
Infrared absorption of lanthanum, scandium, and indium borate and the force constants of borate ion, W. C. Steele and J. C. Decius—1184
Infrared spectra of polymers. I. The effect of crystallinity on the infrared spectrum of polyethylene and on the infrared spectra of nylon 6 and nylon 11, Marvin C. Tobin and Matthew J. Carrano—1044
Infrared spectrum of solid sulfur dioxide, Robert N. Wiener and Eugene R. Nixon—175(L)
Influence of adsorbed films on crystal growth kinetics, Gerald W. Sears—154
Interatomic potential functions of sodium and potassium, Rufus C. Ling—609
Intermolecular potentials of the inert gases from solid state data, I. J. Zucker—915
Ion pairing in solids, J. S. Prener—1294(L)
Low-frequency librations and the vibrational spectra of molecular crystals, R. M. Hexter and D. A. Dows—504
Magnetic resonance absorption caused by additional paramagnetic impurities in alkali halides, Hidetaro Abe, Hiroshi Nagano, Mahoko Nagusa, and Keichi Oshima—378(L)
Magnetic susceptibilities of uranium (V) and uranium (III) chlorides, Paul Handler and Clyde A. Hutchinson, Jr.—1210
Mass spectrometric study of phase changes in aluminum, praseodymium, and neodymium, Robert G. Johnson, Donald E. Hudson, Wallace C. Caldwell, Frank H. Spedding, and William R. Savage—917
New experimental method for the evaluation of diffusion constants in alkali halides, Abraham Glasner and Renata Reisfeld—381(L)
Observation of hindered rotation in solid 1,2-dichloroethane by nuclear quadrupole resonance, H. W. Dodgen and J. L. Ragle—376(L)
Optimum atomic shape for Bertaut series, Robert E. Jones and David H. Templeton—1062
Partially oriented samples and unpolarized radiation in the analysis of infrared absorption spectra of *P*-dichlorobenzene, K. M. M. Kruse—591(L)
Phosphorescence spectra of the β-halonaphthalenes, Jerome W. Sidman—229
Photo- and semi-conductivity of anthracene: Effect of NO_2 and Cl_2, D. M. J. Compton and T. C. Waddington—1075(L)
Polarization of anthracene crystal fluorescence, J. Ferguson and W. G. Schneider—780(L)
Properties of a cadmium sulfide photorectifier, D. C. Reynolds, L. C. Greene, and L. L. Antes—1177
Proton jumps and the electrical behavior of ice and ice-NH_4F solutions, Sol Zaromb—350
Proton positions in brucite crystals, Daniel D. Elleman and Dudley Williams—742
Relative magnitude of crystalline fields; crystal structure of methyl iodide, R. M. Hexter—1286(L)
Sensitization of the luminescence of manganese incorporated in zinc sulfide phosphors, Shigeo Shionoya and Kaiichi Amano—380(L)
Specific heats of compressible lattices and the theory of melting, C. Domb—783(L)
Soft x-ray absorption edges of metal ions in complexes. I. Theoretical considerations, F. Albert Cotton and Carl J. Ballhausen—617
Soft x-ray absorption edges of metal ions in complexes. II. CuK edge in some cupric complexes, F. Albert Cotton and Harold P. Hanson—619
Solubility of lithium in doped and undoped silicon, evidence for compound formation, H. Reiss, C. S. Fuller, and A. J. Pietruszkiewicz—650
Study of the Wurtzite-type binary compounds. I. The structures of aluminum nitride and beryllium oxide, G. A. Jeffrey, G. S. Parry, and R. L. Mozzi—1024
Theory of electrolytic crystal growth, D. A. Vermilyea—1254
Theory of the ionization of hydrogen and lithium in silicon and germanium, Howard Reiss—681
Thermal behavior of amorphous ice, J. A. Ghormley—599(L)
Thermal equilibration in $MgCd_3$ at low temperatures, T. D. Brotherton, W. E. Wallace, and R. S. Craig—1297(L)
Transformation of calcite to aragonite by grinding, John H. Burns and M. A. Bredig—1281(L)

Crystal Structure
As^{75} pure quadrupole resonance in synthetic claudetite, P. J. Bray, George O'Keefe, and R. G. Barnes—792(L)
Effect of crystal structure upon the luminescence of manganese-activated lithium titanate, M. R. Lorenz and J. S. Prener—1013
Polarized infrared spectrum of $KAg(CN)_2$, Llewellyn H. Jones—379(L)
Relative magnitude of crystalline fields; crystal structure of methyl iodide, R. M. Hexter—1286(L)

Detonation (see also **Shock Waves**)
Application of probability theory to explosive-ignition phenomena, Ransom B. Parlin and J. Calvin Giddings—1161
Existence of steady state detonations supported by a single chemical reaction, W. W. Wood and J. G. Kirkwood—1276(L)
Gaseous detonations. IX. A study of the reaction zone by gas density measurement, G. B. Kistiakowsky and P. H. Kydd—824
Gaseous detonations. VIII. Two-stage detonations in acetylene-oxygen mixtures, G. B. Kistiakowsky and Paul C. Mangelsdorf, Jr.—516
Precision flash x-ray determination of density ratio in gaseous detonations, Russell E. Duff and Herbert T. Knight—1301(L)
Pressure estimation in impact sensitivity experiments on explosives and the problem of initiation, M. P. Murgai—762

Deuterium (see **Isotopes**)

Dielectrics
Debye-Huckel theory and the concentration dependent dielectric constant, S. Teitler and N. Ginsburg—783(L)
Dielectric absorption in lithium fluoride, J. S. Dryden and D. A. A. S. Narayana Rao—222
Dielectric behavior of kaolinite and dickite, J. Van Keymeulen—363(L)
Dielectric properties of nitrobenzene in the region of anomalous dispersion, George L. Clark—125
Dielectric properties of wool-water systems. II. 26 000 megacycles, J. J. Windle and T. M. Shaw—435
Influence of molecular electric quadrupole moments on dielectric constants, Robert W. Zwanzig—211
Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones, G. B. Rathmann, A. J. Curtis, F. L. McGeer, and C. P. Smyth—413
New experiments on dielectric saturation in polar liquids, A. Piekara and A. Chelkowski—794(L)
Proton jumps and the electrical behavior of ice and ice-NH_4F solutions, Sol Zaromb—350

Theory of the dielectric constant at high field strengths, A. D. Buckingham—428

Diffusion

Determination of diffusivities in liquid metals by means of temperature-gradient zone melting, J. H. Wernick—47

Hydrogen as a donor in zinc oxide, D. G. Thomas and J. J. Lander—1136

New experimental method for the evaluation of diffusion constants in alkali halides, Abraham Glasner and Renata Reisfeld—381(L)

Relation between the Onsager and measurable diffusion coefficients in three component systems, Malcolm Dole—1082(L)

Self-diffusion in liquid argon, J. W. Corbett and J. H. Wang—422

Surface diffusion and thermal transpiration in fine tubes and pores, Terrell L. Hill—730

Transport properties of a dense fluid of hard spheres, H. C. Longuet-Higgins and J. A. Pople—884

Treatment of the equations of classical diffusion in homogeneous isotropic media, D. C. O'Sullivan—270

Dipole Moment

Dipole moment of NF_3, Paul Kisliuk—779(L)

Dipole moment of NF_3, M. Mashima—779(L)

Dipole moment of the HCN molecule, Kaoru Iguchi—217

Electric dipole moments of the lower vibrational states of molecular CsF and CsCI, John Trischka—784(L)

Microwave spectra, dipole moment, and barrier to internal rotation of CH_3NO_2 and CD_3NO_2, Eileen Tannenbaum, Rollie J. Myers, and William D. Gwinn—42

Microwave spectrum of β propiolactone, Nowhan Kwak, J. H. Goldstein, and J. W. Simmons—1203

Millimeter wave spectrum, molecular structure, and dipole moment of hydrogen selenide, Albert W. Jache, Paul W. Moser, and Walter Gordy—209

Elasticity

Electrochemistry

Differential capacitance in electrolytes, James Ross MacDonald—364(L)

Frequency variation of the capacity and resistance of the electrical double layer at a metal-solution interface, J. O'M. Bockris, W. Mehl, B. E. Conway, and L. Young—776(L)

Hydrogen overvoltage on bright iridium and rhodium, James P. Hoare and Sigmund Schuldiner—786(L)

para-Localization energy and polarographic half-wave potentials of polynuclear hydrocarbons, Sadhan Basu and Rama Bhattacharya—596(L)

Theory of electrolytic crystal growth, D. A. Vermilyea—1254

Electron Affinity

Determination of electron affinities by extrapolation, S. Geltman—782(L)

Electron affinity of atomic sulfur and empirical affinities of the light elements, Lewis M. Branscomb and Stephen J. Smith—598(L)

Electron Diffraction

Structures of toluene, phenyl silane and diphenyl-dichloro silane, F. A. Keidel and S. H. Bauer—1218

Electron Microscopy

Electrophoresis

Emission Spectra

Electronic spectra of polyacetylenes, Michael Beer—745

Emission band spectra of nitrogen. The fifth positive system, Alf Lofthus—494

Influence of secondary fluoroscence on the emission spectra of luminescent solutions, A. Budó and I. Ketskeméty—595(L)

Multiple-path technique for the determination of physicochemical data behind shock fronts, W. Hooker, M. Lapp, D. Weber, and S. S. Penner—1087(L)

Near infrared emission spectrum of the H, O_3 reaction, T. M. Cawthon and J. D. McKinley, Jr.—585(L)

Phosphorescence spectra of the β-halonaphthalenes, Jerome W. Sidman—229

Sensitization of the luminescence of manganese incorporated in zinc sulfide phosphors, Shigeo Shionoya and Kaiichi Amano—380(L)

Synthetic atmospheric chemiluminescence caused by the release of NO at 106 km, Jerome Pressman, Leonard M. Aschenbrand, Frederick F. Marmo, Adolph Jursa, and Murray Zelikoff—187(L)

Energy Transfer

Energy of interaction between a hydrogen atom and a helium atom, E. A. Mason, J. Ross, and P. N. Schatz—626

Scattering of high velocity neutral particles. VII. Xenon–xenon, I. Amdur and E. A. Mason—624

Scattering of high velocity neutral particles. VIII. H–He, I. Amdur and E. A. Mason—630

Scattering of high velocity neutral particles. IX. Ne–A; A–Ne, I. Amdur and E. A. Mason—632

Transfer of electronic energy. Quenching of fluorescence by oxygen and nitric oxide, Jean T. Dubois—178(L)

Equation of State

Errata

Announcement—775(L)

Announcement—1073(L)

Announcement—1276(L)

Errata: Adsorption of strontium and of barium on tungsten, George E. Moore and H. W. Allison—190(L)

Errata: Influence of Fermi resonance of the centrifugal stretching constant of a linear molecule, Gilbert Amat, Mark Goldsmith, and Harald H. Nielsen—800(L)

Errata: Luminescence spectra of samarium in barium titanate at its transition, Keichi Oshima, Sohachiro Hayakawa Hiroshi Nagano, and Mahoko Nagusa—384(L)

Errata: Mercury photosensitized reaction of cyclo-octatetraene, Hideo Yamazaki and Shoji Shida—800(L)

Errata: Observation of hindered rotations in solid 1,2-dichloroethane by nuclear quadrupole resonance [J. Chem. Phys. **25**, 376 (1956)], H. W. Dodgen and J. L. Ragle—1088(L)

Errata: Pi-electron approximation and its possible refinement [J. Chem. Phys. **24**, 1166 (1956)], Peter G. Lykos and Robert G. Parr—1301(L)

Errata: Preparation of the rare isotope Me^{21}, P. A. K. Clusius, M. Huber, H. Hürzeler, and E. Schumacher—384(L)

Errata: Question of the correct values for Rayleigh's ratio D. K. Carpenter and W. R. Krigbaum—384(L)

Errata: Relation between viscosity and surface tension of liquids, Nitish Kumar Sanyal and Shashanka Shekhar Mitra—190(L)

Explanation, Clyde A. Hutchison, Jr.—608

Faraday Effect

Films (see **Surface Phenomena**)

Flames

Burning rate of carbon monoxide, Raymond Friedman and Joseph A. Cyphers—448

Effect of isotopic substitution in hydrogen bromine flames, Mitchell Gilbert and David Altman—377(L)

Experimental proof for the existence of nonthermal rotational distributions of $OH(^2\Sigma^+)$ in flames, Herbert P. Broida and Henry J. Kostkowski—676

Growth rates of turbulent free flames, William R. Mickelsen and Norman E. Ernstein—485

Flames (continued)
Ignition of a moving combustible gas stream, Paul L. Chambré—417
Spectroscopic observations on pentaborane-air flames and explosions, W. G. Berl, E. L. Gayhart, H. L. Olsen, H. P. Broida, and K. E. Shuler—797(L)
Stability and burning velocities of laminar carbon monoxide-air flames at pressures up to 93 atmospheres, Rudolph Edse and William A. Strauss—1241
Steady-state burning of a liquid droplet. II. Bipropellant flame, Jack Lorell, Henry Wise, and Russel E. Carr—325
Technique for studying the effect of an additive on a flame spectrum, Fred P. Dickey, Stanley Kopczynski, and Graham Bell—180(L)
Fluorescence
Electronic and vibrational states of anthracene, Jerome W. Sidman—115
Electronic and vibrational states of tetracene (naphthacene) Jerome W. Sidman—122
Electronic spectra of polyacetylenes, Michael Beer—745
Index of refraction effect on absolute fluorescence measurements, A. Shepp—579(L)
Influence of secondary fluorescence on the emission spectra of luminescent solutions, A. Budó and I. Ketskeméty—595(L)
Polarization of anthracene crystal fluorescence, J. Ferguson and W. G. Schneider—780(L)
Remarks on radiationless transitions in complex molecules, James Franck and H. Sponer—172(L)
Transfer of electronic energy. Quenching of fluorescence by oxygen and nitric oxide, Jean T. Dubois—178(L)
Free Rotation (see **Rotational Isomerism**)

Gases
Calculation of ion scattering by molecules with a 4–12 potential model, Vernon W. Myers—1284(L)
Calculation of vibrational relaxation times of the chloromethanes, Frank I. Tanczos—439
Collisional processes and similarity under the low-frequency silent electric discharge in air, D. P. Jatar and H. D. Sharma—785(L)
Electric strength of saturated hydrocarbon gases, J. C. Devins and R. W. Crowe—1053
Energy of interaction between a hydrogen atom and a helium atom, E. A. Mason, J. Ross, and P. N. Schatz—626
Generalized secondary electron emission coefficient for the low-frequency silent electric discharge in air, D. P. Jatar and H. D. Sharma—593(L)
Intermolecular potentials of the inert gases from solid state data, I. J. Zucker—915
Kinetic energy of molecular electrons in compressed gases, Anson Solem and Laurens Jansen—686
Long range intermolecular forces, John S. Dahler and Joseph O. Hirschfelder—986
Metastable oxygen molecules produced by electrical discharges, S. N. Foner and R. L. Hudson—602(L)
One-dimensional inviscid flow through a rocket nozzle, R. P. Rastogi and T. P. Pandya—1009
Scattering of high velocity neutral particles. VII. Xenon–xenon, I. Amdur and E. A. Mason—624
Scattering of high velocity neutral particles. VIII. H–He, I. Amdur and E. A. Mason—630
Scattering of high velocity neutral particles. IX. Ne–A; A–Ne, I. Amdur and E. A. Mason—632
Surface diffusion and thermal transpiration in fine tubes and pores, Terrell L. Hill—730
Thermal conductivity of He—A—Xe ternary mixture, S. C. Saxena—360(L)

Heat Capacity (see **Thermodynamic Properties**)

High Pressures
Hindered Rotation (see **Rotation**)

Infrared Spectra (see **Absorption Spectra**)
Intensities of Spectra
Infrared intensities in liquids, Joseph H. Jaffe and S. Kimel—374(L)
Intensity and line-width of the 15 micron CO_2 band, determined by a curve-of-growth method, Lewis D. Kaplan and David F. Eggers, Jr.—876
Vibrational intensities VI: Ethylene and its deutero-isotopes R. C. Golike, I. M. Mills, W. B. Person, and Bruce Crawford, Jr.—1266
Vibrational intensities in halogenated methanes. II. Methylene bromide and methylene iodide, Nand Lal Singh and Joseph W. Straley—490
Isotopes
Effect of isotopic substitution in hydrogen bromine flames, Mitchell Gilbert and David Altman—377(L)
Effect of radiation upon the exchange of hydrogen and ethanol, John G. Burr, Jr.—587(L)
Isotope fractionation studies of reactions with cleavage of a carbon-14 to hydrogen bond in the rate-determining step, Gus A. Ropp and Ernest M. Hodnett—587(L)
Kinetics of competitive isotopic exchange reactions, L. R. Darbee, F. E. Jenkins, and G. M. Harris—605(L)
Nitrogen isotope effect in the distillation of N_2O_4, G. M. Begun—1279(L)
Nitrogen isotopic fractionation between NO and NO_2 and mass discrimination in mass analysis of NO_2, G. M. Begun and C. E. Melton—1292(L)
Thermal diffusion in krypton and argon, J. W. Corbett and W. W. Watson—385
Isotope Effects

Kinetics of Reaction
Burning rate of carbon monoxide, Raymond Friedman and Joseph A. Cyphers—448
Chemical effects of ultrasonics—"hot spot" chemistry, Mary Evelyn Fitzgerald, Virginia Griffing, and James Sullivan—926
Double-maxima distribution of deutero-paraffins, Tominaga Keii—364(L)
Effect of radiation upon the exchange of hydrogen and ethanol, John G. Burr, Jr.—587(L)
Existence of steady-state detonations supported by a single chemical reaction, W. W. Wood and J. G. Kirkwood—1276(L)
Eyring rate equation and the temperature dependence of solvolytic reactions, R. E. Robertson—375(L)
Fluorine magnetic resonance spectra of some mono- and disubstituted tetrafluorocyclobutanes, W. D. Phillips—949
Gaseous detonations. IX. A study of the reaction zone by gas density measurement, G. B. Kistiakowsky and P. H. Kydd—824
Gas-phase oxidation of ammonia by nitrogen dioxide, Willis A. Rosser, Jr. and Henry Wise—1078(L)
Growth of mercury platelets from the vapor, Gerald W. Sears—637
Ignition of a moving combustible gas stream, Paul L. Chambré—417
Indirect action of radiation on the —NH—CH_2— linkage in diethylamine (a mechanism for radiation-induced decomposition of the Peptide chain), Michael E. Jayko and Warren M. Garrison—1084(L)
Induction period in uni-bi and bi-unimolecular consecutive reactions involving fairly reactive intermediates, M. Talât-Erben—1293(L)
Interpretation of the kinetics of mercury alkyl pyrolysis, H. O. Pritchard—267

Ion-molecule reactions in radiation chemistry, G. G. Meisels, W. H. Hamill, and R. R. Williams, Jr.—790(L)
Isotope fractionation studies of reactions with cleavage of a carbon-14 to hydrogen bond in the rate-determining step, Gus A. Ropp and Ernest M. Hodnett—587(L)
Kinetics of competitive isotopic exchange reactions, L. R. Darbee, F. E. Jenkins, and G. M. Harris—605(L)
Mass spectrometric study of the kinetics of nitrogen afterglow, Joseph Berkowitz, William A. Chupka, and G. B. Kistiakowsky—457
Mechanism of the interaction of oxygen atoms with olefins, R. J. Cvetanović—376(L)
Mechanism of the isomerization of cyclopropane, James R. McNesby and Alvin S. Gordon—582(L)
Mechanism in the radiolysis of aqueous glycine solutions. II, Warren M. Garrison and Boyd M. Weeks—585(L)
Nuclear magnetic N^{14} resonance spectra, molecular structures, and exchange reactions in the system N_2O_5—NO_2^+—NO_3^-—H_2O, Richard A. Ogg, Jr., and James D. Ray—1285(L)
Observation of thermal isomerization by N-M-R spectroscopy, A. Greenville Whittaker, Donald W. Moore, James M. Schoolery, and Robert Jones—366(L)
Periodic precipitation, Stephen Prager—279
Photolysis of dimethyl peroxide, Yoshimasa Takezaki, Teruhisa Miyazaki, and Noriko Nakahara—536
Pyrolysis of dimethyl ether, Sidney W. Benson—27
Radiation-induced oxidation of acetic acid-oxygen solutions, Warren M. Garrison, Herman R. Haymond, Winifred Bennett, and Sibyl Cole—1282(L)
Rate of association of *n*-propyl radicals, S. G. Whiteway and C. R. Masson—233
Rate of electron exchange between cuprous and cupric ions in hydrochloric acid solutions by nuclear magnetic resonance, H. M. McConnell and H. E. Weaver, Jr.—307
Rate processes and nuclear magnetic resonance spectra. II. Hindered internal rotation of amides, H. S. Gutowsky and C. H. Holm—1228
Reactions of methane with iodine activated by radiative neutron capture. II, Gerrit Levey and John E. Willard—904
Recoil energy effects in the hot atom chemistry of iodine, Robert H. Schuler and Charles B. McCauley—1080(L)
Recombination of hydrogen atoms at metal surfaces, K. G. Pickup and B. M. W. Trapnell—182(L)
Relation between adsorption isotherm and adsorption rate equation, Tominaga Keii—1283(L)
Role of nitric oxide in the thermal decomposition of nitrous oxide, Frederick Kaufman, Norman J. Gerri, and Roger E. Bowman—106
Shock waves in chemical kinetics: Further studies on the rate of disassociation of molecular iodine, Doyle Britton, Norman Davidson, William Gehman, and Garry Schott—804
Shock waves in chemical kinetics. The rate of dissociation of molecular bromine, Doyle Britton and Norman Davidson—810
Sound speed in a reacting medium, E. L. Resler, Jr.—1287(L)
Stability and burning velocities of laminar carbon monoxide-air flames at pressures up to 93 atmospheres, Rudolph Edse and William A. Strauss—1241
Steady-state burning of a liquid droplet. II. Bipropellant flame, Jack Lorell, Henry Wise, and Russel E. Carr—325
Study of the protolysis of methylammonium ion in water by proton magnetic resonance, Ernest Grunwald, A. Lowenstein, and S. Meiboom—382(L)
Study of the thermal decomposition of methane, F. William Cagle, Jr.—1300(L)
Symmetric character in certain unsymmetric charge transfer reactions, S. N. Ghosh and W. F. Sheridan—1076(L)
Synthetic atmospheric chemiluminescence caused by the release of NO at 106 km, Jerome Pressman, Leonard M. Aschenbrand, Frederick F. Marmo, Adolph Jursa, and Murray Zelikoff—187(L)
Theoretical pre-exponential factors for twelve bimolecular reactions, Dudley R. Herschbach, Harold S. Johnston, K. S. Pitzer, and R. E. Powell—736
Vacuum ultraviolet photochemistry. Part IV. NO at 1236 A, Murray Zelikoff and Leonard M. Aschenbrand—674
X- and γ irradiation of ferrous sulfate in dilute aqueous solution, J. L. Haybittle, (Miss) R. D. Saunders and A. J. Swallow—1213

Large Molecules (see **Polymers**)
Light Scattering
Light scattering by glasses, R. D. Maurer—1206
Liquids
Anisotropic chemical shielding and nuclear magnetic relaxation in liquids, H. M. McConnell and C. H. Holm—1289(L)
Application of cell theory to liquid hydrocarbons, Robert Simha and Stuart T. Hadden—702
Application of vapor chromatography to infrared spectroscopy of liquids, Harold E. Bellis and Emil J. Slowinski, Jr.—794(L)
Calculation of the free volume and the internal pressure of liquids from sonic velocity data, F. C. Collins, W. W. Brandt, and M. H. Navidi—581(L)
Chemical effects of ultrasonics—"hot spot" chemistry, Mary Evelyn Fitzgerald, Virginia Griffing, and James Sullivan—926
Critical point and the Born-Green equation, Benson R. Sundheim and Ephraim L. Rubin—785(L)
Curved fluid interfaces. I. The generalized Gibbs-Kelvin equation, Frank P. Buff—146
Determination of diffusivities in liquid metals by means of temperature-gradient zone melting, J. H. Wernick—47
Dielectric properties of nitrobenzene in the region of anomalous dispersion, George L. Clark—125
Energy of the B—O bond and the structure of liquid boron trioxide, J. D. Mackenzie—187(L)
Hydrogen bond contribution to the heat of vaporization of aliphatic alcohols, A. Bondi and Donald J. Simkin—1073(L)
Improved free-volume theory of liquids. I, John S. Dahler, Joseph O. Hirschfelder, and Henry C. Thacher, Jr.—249
Infrared intensities in liquids, Joseph H. Jaffe and S. Kimel—374(L)
Interatomic potential functions of sodium and potassium, Rufus C. Ling—609
Light scattering by glasses, R. D. Maurer—1206
Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones, G. B. Rathmann, A. J. Curtis, P. L. McGeer, and C. P. Smyth—413
New experiments on dielectric saturation in polar liquids, A. Piekara and A. Chelkowski—794(L)
Nitrogen isotope effect in the distillation of N_2O_4, G. M. Begun—1279(L)
Nitrogen isotopic fractionation between NO and NO_2 and mass discrimination in mass analysis of NO_2, G. M. Begun and C. E. Melton—1292(L)
Self-diffusion in liquid argon, J. W. Corbett and J. H. Wang—422
Some physical properties of pure liquid ozone and ozone-oxygen mixtures, A. C. Jenkins and F. S. DiPaolo—296
Structure of the infrared "atmospheric" bands in liquid oxygen, C. W. Cho, Elizabeth J. Allin, and H. L. Welsh—371(L)

Liquids (continued)
Supercooling in a binary liquid miscibility-gap system, Richard A. Oriani—186(L)
Surface tension and structure of molten glasses, R. Kruh—1085(L)
Viscosity and density of the liquid system TNT-picric acid and four related pure materials, Donald W. Moore, Lohr A. Burkardt, and William S. McEwan—1235
Velocity of sound in the liquid mixture $CCl_4-C(CH_3)_4$, J. Jeener—584(L)
X-ray scattering by liquid-metal alloys (a kinetic approach), Rufus C. Ling—614

Magnetic Resonance
Anisotropic chemical shielding and nuclear magnetic relaxation in liquids, H. M. McConnell and C. H. Holm—1289(L)
Bromine, iodine, and indium nuclear quadrupole interaction frequencies, G. W. Ludwig—159
C^{13} hyperfine splitting in naphthalene negative ion, T. R. Tuttle, Jr. and S. I. Weissman—189(L)
Color centers and luminescence in single crystals of lanthanum trichloride containing dipositive europium, Dieter N. Gruen, John G. Conway, and Ralph D. McLaughlin—1102
Determination of the signs of nuclear spin-spin indirect coupling constants, G. A. Williams and H. S. Gutowsky—1288(L)
Deuteration of azulene and the structure of the azulinium ion, H. M. Frey—600(L)
Effect of anisotropic hyperfine interactions on paramagnetic relaxation in liquids, Harden M. McConnell—709
Electron spin resonance absorption of perylene in sulfuric acid solution, Y. Yokozawa and I. Miyashita—796(L)
Electron spin resonance in free radicals derived from diarylamines, Raymond Hoskins—788(L)
F^{19} multiplets in the NMR spectrum of $CF_3CCl=CFCl$, H. M. McConnell and C. A. Reilly—184(L)
Field-dependent proton relaxation times in solutions of Mn^{++}, Arnold L. Bloom—793(L)
Fine splittings in the nuclear magnetic resonance spectra of alkyl derivatives, Richard E. Glick and Aksel A. Bothner-By—362(L)
Fluorine magnetic resonance spectra of some mono- and disubstituted tetrafluorocyclobutanes, W. D. Phillips—949
Hydrogen bonding by NMR, A. D. Cohen and C. Reid—790(L)
Hyperfine structure and electron densities in aromatic free radicals, E. de Boer—190(L)
Hyperfine structure in paramagnetic resonance absorption spectra, H. S. Jarrett—1289(L)
Influence of molecular structure on paramagnetic resonance line widths, Robert L. Walker, R. S. Codrington, Amedeo F. D'Adamo, Jr., and H. C. Torrey—319
"Influence of the solvent on the chemical shifts of monosubstituted benzenes," P. L. Corio and B. P. Dailey—1291(L)
Isotropic hyperfine interactions in aromatic free radicals, S. I. Weissman—890
Magnetic resonance absorption caused by additional paramagnetic impurities in alkali halides, Hidetaro Abe, Hiroshi Nagano, Mahoko Nagusa, and Keichi Oshima—378(L)
Measurement of small nuclear spin-spin coupling constants, C. A. Reilly—604(L)
Molecular composition of alkali halide vapors, R. C. Miller and P. Kusch—860
Nitryl fluoride: A new method of preparation, nuclear magnetic spectrum and structure, Richard A. Ogg, Jr., and James D. Ray—797(L)
Nuclear magnetic interactions in the HF molecule, I. Solomon and N. Bloembergen—261
Nuclear magnetic N^{14} resonance spectra, molecular structures, and exchange reactions in the system N_2O_5—NO_2^+—NO_3^-—H_2O, Richard A. Ogg, Jr., and James D. Ray—1285(L)
Nuclear magnetic resonance: structure of the amino group. II, W. G. Moulton and R. A. Kromhout—34
Nuclear magnetic resonance absorption by H_2O on TiO_2, John M. Mays and George W. Brady—583(L)
Nuclear magnetic resonance field shifts of Si^{29} in various materials, G. R. Holzman, P. C. Lauterbur, John H. Anderson, and W. Koth—172(L)
Nuclear quadrupole coupling constants and vibrational states, Jules Duchesne—368(L)
Nuclear spin resonance of aqueous sodium ion, John E. Wertz and Oleg Jardetzky—357(L)
Observation of thermal isomerization by N-M-R spectroscopy, A. Greenville Whittaker, Donald W. Moore, James M. Schoolery, and Robert Jones—366(L)
Paramagnetic resonance absorption in some organic biradicals, H. S. Jarrett, G. J. Sloan, and W. R. Vaughan—697
Proton positions in brucite crystals, Daniel D. Elleman and Dudley Williams—742
Proton relaxation in solutions of chromium (III) complexes, L. O. Morgan, A. W. Nolle, R. L. Hull, and J. Murphy—206
Rate of electron exchange between cuprous and cupric ions in hydrochloric acid solutions by nuclear magnetic resonance, H. M. McConnell and H. E. Weaver, Jr.—307
Rate processes and nuclear magnetic resonance spectra. II. Hindered internal rotation of amides, H. S. Gutowsky and C. H. Holm—1228
Spin density in naphthalene negative ion, T. R. Tuttle, Jr., R. L. Ward, and S. I. Weissman—189(L)
Study of the protolysis of methylammonium ion in water by proton magnetic resonance, Ernest Grunwald, A. Lowenstein, and S. Meiboom—382(L)

Magnetic Susceptibilities
Magnetic susceptibilities of uranium (V) and uranium (III) chlorides, Paul Handler and Clyde A. Hutchison, Jr.—1210

Mass Spectra
Electron attachment in sulfur hexafluoride, Daniel Berg and Thomas W. Dakin—179(L)
Electron attachment in sulfur hexafluoride using monoenergetic electrons, W. M. Hickam and R. E. Fox—642
Ionization potential and the OH free radical by mass spectrometry, S. N. Foner and R. L. Hudson—603(L)
Mass spectrometer appearance potentials for positive ion fragments from BF_3, $B(CH_3)_3$, $B(C_2H_5)_3$, $B(OCH_3)_3$ and $HB(OCH_3)_2$, Robert W. Law and John L. Hargrave—1086(L)
Mass spectrometric study of copper, silver, and gold, Jean Drowart and Richard E. Honig—581(L)
Mass spectrometric study of gaseous species in the $B-B_2O_3$ system, Mark G. Inghram, Richard F. Porter, and William A. Chupka—498
Mass spectrometric study of phase changes in aluminum, praseodymium, and neodymium, Robert G. Johnson, Donald E. Hudson, Wallace C. Caldwell, Frank H. Spedding, and William R. Savage—917
Mass spectrometric study of the kinetics of nitrogen afterglow, Joseph Berkowitz, William A. Chupka, and G. B. Kistiakowsky—457
Mass spectrometer study of the vapors from red phosphorus and arsenic, J. S. Kane and J. H. Reynolds—342
Measurement of molecular excitation potentials by means of an ion source, J. Momigny—787(L)

Metastable oxygen molecules produced by electrical discharges, S. N. Foner and R. L. Hudson—602(L)
Photoionization as a source of ions for mass spectrometry, F. P. Lossing, and Ikuzo Tanaka—1031

Mechanics, Classical

Coupled anharmonic vibrations as a cause of broadening of spectral bands: Hydrogen bonded systems, H. L. Frisch and G. L. Vidale—982
General formulas for kinetic energy matrix elements of in-plane vibration in planar molecules, Takehiko Shimanouchi—660
NH_2 deformation frequencies of inorganic coordination complexes, San-ichiro Mizushima, Ichiro Nakagawa, and D. M. Sweeny—1006
Normal coordinate treatment for the out-of-plane vibrations of ethylene-type molecules, Jerome M. Dowling—284
Out-of-plane CH vibrations of benzene derivatives, Takehiko Shimanouchi, Yuzo Kakiuti, and Itaru Gamo—1245

Mechanics, Quantum

Atomic energy levels for the approximate Thomas-Fermi potential, T. Tietz—789(L)
Atomic orbital modification in molecule formation, D. P. Craig and E. A. Magnusson—383(L)
Bond localization and the hyperconjugative effect in the aromatic carbonium ions, Toshifumi Morita—1290(L)
Calculation of bond eigenfunction matrix elements with the vector model, W. T. Simpson—1297(L)
Charge distribution in the hydrogen molecule, Martin Karplus—605(L)
Charge distribution in the pentaboranes, William N. Lipscomb—38
Correlation splitting in helium-like ions, Harrison Shull and Per-Olov Lowdin—1035
Delta function model. I. Electronic energies of hydrogen-like atoms and diatomic molecules, Arthur A. Frost—1150
Delta potential function model. II. Aromatic hydrocarbons, Arthur A. Frost and Frances E. Leland—1154
Dipole moment of the HCN molecule, Kaoru Iguchi—217
Electronic interaction in the free-electron network model for conjugated systems. I. Theory, Norman S. Ham and Klaus Ruedenberg—1
Electronic interaction in the free-electron network model for conjugated systems. II. Spectra of aromatic hydrocarbons, Norman S. Ham and Klaus Ruedenberg—13
Electronic spectrum and structure of azulene, Rudolph Pariser—1112
Electronic states of molecules. I. Electronic structure of BH —Roop C. Sahni—332
Electronic structure of *s*-tetrazine, Leonello Paoloni—1277(L)
Energy levels of the coaxial internal rotator with rectangular potential function, J. O. Halford and G. L. Vidale—1180
Energy of interaction between a hydrogen atom and a helium atom, E. A. Mason, J. Ross, and P. N. Schatz—626
High-speed computation of molecular integrals, M. P. Barnett, H. H. Robertson, and E. L. Albasiny—367(L)
Importance of doubly excited configurations in the interpretation of electronic spectra, J. N. Murrell and K. Lenore McEwen—1143
Long range intermolecular forces, John S. Dahler and Joseph O. Hirschfelder—986
Modification of the vector model to include a first-order nonorthogonality correction, William T. Simpson—1124
Modified atomic orbital method. II. The electronic structure of the oxygen molecule, Takashi Itoh and Kimio Ohno—1098
Molecular screening constants, Boris Musulin—801
Nature of the free electron approximation: The simple example of the H_2^+ ion, James F. Hornig, Walter Huber and Hans Kuhn—1296(L)
Physical basis of the free-electron gas model of branched molecules, Hans Kuhn—293
Polarizability of the hydrogen bridge, A. N. Baker—381(L)
Quantum-mechanical calculation of the bond energy of the nitrogen molecule, Hans-Joachim Brüchner—367(L)
Remarks on radiationless transitions in complex molecules, James Franck and H. Sponer—172(L)
Theory of rotational-vibrational interaction in polyatomic molecules, Lewis J. Bodi and C. F. Curtiss—1117
Theory of the ionization of hydrogen and lithium in silicon and germanium, Howard Reiss—681
Tunneling through high periodic barriers. I, T. P. Das—896
Use of *f* orbitals in covalent bonding, J. C. Eisenstein—142
Wavelength formulas and configuration interaction in Brooker dyes and chain molecules, John R. Platt—80

Mechanics, Statistical

Boltzmann equation from the statistical mechanical point of view, Melville S. Green—836
Derivation of the virial theorem from the generalized Hellman-Feynman theorem, Arthur A. Frost and Peter G. Lykos—1299(L)
Improved free-volume theory of liquids. I, John S. Dahler, Joseph O. Hirschfelder, and Henry C. Thacher, Jr.—249
Relaxation of vibrational nonequilibrium distributions. I. Collisional relaxation of a system of harmonic oscillators, Robert J. Rubin and Kurt E. Shuler—59
Relaxation of vibrational nonequilibrium distributions. II. The effect of the collisional transition probabilities on the relaxation behavior, Robert J. Rubin and Kurt E. Shuler —68
Statistics of imperfectly flexible molecular chains, R. A. Sack—1087(L)
Transport properties of a dense fluid of hard spheres, H. C. Longuet-Higgins and J. A. Pople—884

Metals

Crystal structure of barium and europium at 293, 78 and 5°K, C. S. Barrett—1123
Determination of diffusivities in liquid metals by means of temperature-gradient zone melting, J. H. Wernick—47
Heat capacity of dysprosium from 15 to 300°K, Maurice Griffel, R. E. Skochdopole, and F. H. Spedding—75
Interatomic potential functions of sodium and potassium, Rufus C. Ling—609
Mass spectrometric study of phase changes in aluminum, praseodymium, and neodymium, Robert G. Johnson, Donald E. Hudson, Wallace C. Caldwell, Frank H. Spedding, and William R. Savage—917
Work function and electrical conductivity of hydrogen covered nickel films. The effect of contamination, W. M. H. Sachtler—751
X-ray scattering by liquid-metal alloys (a kinetic approach), Rufus C. Ling—614

Microwave Spectra (see **Absorption Spectra**)

Molecular Films (see **Surface Phenomena**)

Molecular Spectra (see **Absorption Spectra, Emission Spectra, Fluorescence, and Raman Spectra**)

Molecular Structure and Constants (see also **Absorption Spectra, Electron, and X-Ray Diffraction**)

Approximate method in calculating mean-square amplitudes of bonded interatomic distances, Katsumi Kimura and Masao Kimura—362(L)
Assignment of the OH in-plane deformation frequency, S. Krimm, C. Y. Liang, and G. B. B. M. Sutherland—778(L)
Atomic orbital modification in molecule formation, D. P. Craig and E. A. Magnusson—383(L)
Atomic polarizability, Masao Atoji—174(L)

Molecular Structure and Constants (continued)
Binary combination bands of the out-of-plane CH vibrations of benzene derivatives, Yuzo Kakiuti—777(L)
Boron arrangement in a B_9 hydride, Richard E. Dickerson, Peter J. Wheatley, Peter A. Howell, William N. Lipscomb, and Riley Schaeffer—606(L)
Bromine, iodine, and indium nuclear quadrupole interaction frequencies, G. W. Ludwig—159
Calculation of ion scattering by molecules with a 4–12 potential model, Vernon W. Myers—1284(L)
Calculation of vibrational relaxation times of the chloromethanes, Frank I. Tanczos—439
Combination band $\nu_4+\nu_5$ of acetylene, Theodore J. Coburn, K. Narahari Rao, and H. H. Nielsen—607(L)
Comparison of force constants in radicals and molecules. The halides of zinc, cadmium, and mercury, William Klemperer—1066
Correlation of bond length with stretching frequency for carbon-oxygen and carbon-nitrogen systems, E. Miller Layton, Jr., Robert D. Kross, and Velmer A. Fassel—135
Coupled anharmonic vibrations as a cause of broadening of spectral bands: Hydrogen bonded systems, H. L. Frisch and G. L. Vidale—982
Determination of the signs of nuclear spin-spin indirect coupling constants, G. A. Williams and H. S. Gutowsky—1288(L)
Deuteration of azulene and the structure of the azulinium ion, H. M. Frey—600(L)
Dimerization of solid group IIIB trihalides, I. Bromine nuclear quadrupole resonance spectrum of $AlBr_3$, R. G. Barnes and S. L. Segel—180(L)
Dimerization of solid group IIIB trihalides. II. Iodine nuclear quadrupole resonance spectra of AlI_3, GaI_3, and InI_3, S. L. Segel and R. G. Barnes—578(L)
Dipole moment of NF_3, Paul Kisliuk—779(L)
Dipole moment of NF_3, M. Mashima—779(L)
Dipole moment of the HCN molecule, Kaoru Iguchi—217
Effect of pressure on the O—H stretching frequency of butanol in nonpolar solvents, Marie-Louise Josien, Jean Lascombe, and Nelson Fuson—1291(L)
Electric dipole moments of the lower vibrational states of molecular CsF and CsCl, John Trischka—784(L)
Electric strength of saturated hydrocarbon gases, J. C. Devins and R. W. Crowe—1053
Electron attachment in sulfur hexafluoride, Daniel Berg and Thomas W. Dakin—179(L)
Electronic spectra of hydrocarbon anions, N. S. Hush and J. R. Rowlands—1076(L)
Electronic spectrum and structure of azulene, Rudolph Pariser—1112
Electronic spectrum and structure of the free NH_2 radical, D. A. Ramsay—188(L)
Electronic structures and electronic spectra of *p*-quinoid compounds, Michio Okuda—1083(L)
Electrostatic interpretation of directed valence, B. F. Gray and H. O. Pritchard—779(L)
Emission band spectra of nitrogen. The fifth positive system, Alf Lofthus—494
Energy levels of the coaxial internal rotator with rectangular potential function, J. O. Halford and G. L. Vidale—1180
Energy of the B—O bond and the structure of liquid boron trioxide, J. D. Mackenzie—187(L)
Evaluation of molecular quadrupole moments from microwave spectral line breadths. I. Theoretical, William V. Smith—510
Fermi interaction terms in $C^{12}O_2^{16}$ and $N_2{}^{14}O^{16}$, Harald H. Nielsen and K. Narahari Rao—1078(L)
Fine splittings in the nuclear magnetic resonance spectra of alkyl derivatives, Richard E. Glick and Aksel A. Bothner-By—362(L)
Fluorine magnetic resonance spectra of some mono- and disubstituted tetrafluorocyclobutanes, W. D. Phillips—949
F^{19} multiplets in the NMR spectrum of $CF_3CCl=CFCl$, H. M. McConnell and C. A. Reilly—184(L)
Formation of an artificial ion cloud; photoionization of NO by solar lyman alpha at 95 km, Frederick F. Marmo, Jerome Pressman, Leonard M. Aschenbrand, Adolph Jursa, and Murray Zelikoff—187(L)
Further note on the calculation of bond lengths of carbon-chlorine bonds, Tosinobu Anno and Akira Sadô—176(L)
General formulas for kinetic energy matrix elements of in-plane vibration in planar molecules, Takehiko Shimanouchi—660
Geometrical structure of benzene-halogen charge transfer complexes, Eldon E. Ferguson—577(L)
Hydrogen bond contribution to the heat of vaporization of aliphatic alcohols, A. Bondi and Donald J. Simkin—1073(L)
Hydrogen bonding of the thiol group, Andrew Menefee, Dorman Alford, and C. B. Scott—370(L)
Hydrogen bonding by NMR, A. D. Cohen and C. Reid—790(L)
Influence of molecular electric quadrupole moments on dielectric constants, Robert W. Zwanzig—211
Influence of molecular structure on paramagnetic resonance line widths, Robert L. Walker, R. S. Codrington, Amedeo F. D'Adamo, Jr. and H. C. Torrey—319
Infrared absorption of lanthanum, scandium, and indium borate and the force constants of borate ion, W. C. Steele and J. C. Decius—1184
Infrared investigation of acetic acid and acetic acid-*d* vapors and a vibrational assignment for the monomeric acids, J. K. Wilmshurst—1171
Infrared spectra and molecular structures of SiH_3F, SiH_3Cl, and SiH_3Br, Carolyn Newman, J. Kenneth O'Loane, S. R. Polo, and M. Kent Wilson—855
Infrared spectra of hydrogen cyanide and deuterium cyanide, Harry C. Allen, Jr., Eugene D. Tidwell, and Earle K. Plyler—302
Infrared spectra of selenium hexafluoride and tellurium hexafluoride, T. G. Burke—791(L)
Infrared spectrum and structure of perchlorylfluoride, David R. Lide, Jr. and D. E. Mann—1128
Infrared spectrum and structure of the thiocyanate ion, Llewellyn H. Jones—1069
Infrared spectrum of hydrogen fluoride, G. A. Kuipers, D. F. Smith, and A. H. Nielsen—275
Infrared spectrum of hydrogen sulfide, Harry C. Allen, Jr. and Earle K. Plyler—1132
Infrared spectrum of mercuric chloride and bromide, William Klemperer and Louis Lindeman—397
Infrared spectrum of methyl isocyanide, R. L. Williams—656
Infrared spectrum of TCN, P. A. Staats, H. W. Morgan, and J. H. Goldstein—582(L)
Infrared spectrum of water vapor. Part I. The 6.26 μ region, F. W. Dalby and H. H. Nielsen—934
Internal barrier in CH_3CH_2F and CH_3CHF_2 from torsional satellites, Dudley R. Herschbach—358(L)
Low-frequency librations and the vibrational spectra of molecular crystals, R. M. Hexter and D. A. Dows—304
Mass spectrometer appearance potentials for positive ion fragments from BF_3, $B(CH_3)_3$, $B(C_2H_5)_3$, $B(OCH_3)_3$, and $HB(OCH_3)_2$, Robert W. Law and John L. Hargrave—1086(L)
Mass spectrometer study of the vapors from red phosphorus and arsenic, J. S. Kane and J. H. Reynolds—342
Measurement of molecular excitation potentials by means of an ion source, J. Momigny—787(L)

Measurement of small nuclear spin-spin coupling constants, C. A. Reilly—604(L)
Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones, G. B. Rathmann, A. J. Curtis, P. L. McGeer, and C. P. Smyth—413
Microwave spectra, dipole moment, and barrier to internal rotation of CH_3NO_2 and CD_3NO_2, Eileen Tannenbaum, Rollie J. Myers, and William D. Gwinn—42
Microwave spectra of thiophene, 2-, and 3-monodeutero, 3,3′-dideutero- and tetradeuterothiophene. Structure of the thiophene molecule, Børge Bak, Daniel Christensen, John Rastrup-Andersen, and Eileen Tannenbaum—892
Microwave spectrum and molecular constants of nitrosyl bromide, T. L. Weatherly and Quitman Williams—717
Microwave spectrum of β propiolactone, Nowhan Kwak, J. H. Goldstein, and J. W. Simmons—1203
Microwave spectrum of chloroform, Peter N. Wolfe—976
Microwave spectrum of NO_2: A rigid rotor analysis, George R. Bird—1040
Millimeter wave spectrum, molecular structure, and dipole moment of hydrogen selenide, Albert W. Jache, Paul W. Moser, and Walter Gordy—209
Millimeter wave spectrum of formaldehyde, Gunnar Erlandsson—579(L)
Millimeter wave spectrum of formic acid, Gunnar Erlandsson—379(L)
Molecular composition of alkali halide vapors, R. C. Miller and P. Kusch—860
Molecular screening constants, Boris Musulin—801
Molecular structure of gaseous dinitrogen tetroxide, Darwin W. Smith and Kenneth Hedberg—1282(L)
Near infrared spectra of diborane, pentaborane, and decaborane, P. R. Pondy and H. C. Beachell—238
Near infrared spectrum of DCl, B. H. Van Horne and C. D. Hause—56
New terms in the potential function of the Y_2X_2 molecule, Fred L. Keller, Alvin H. Nielsen, and Wave H. Shaffer—175(L)
NH_2 deformation frequencies of inorganic coordination complexes, San-ichiro Mizushima, Ichiro Nakagawa, and D. M. Sweeny—1006
Normal coordinate treatment for the out-of-plane vibrations of ethylene-type molecules, Jerome M. Dowling—284
Nuclear magnetic interactions in the HF molecule, I. Solomon and N. Bloembergen—261
Nuclear magnetic N^{14} resonance spectra, molecular structures, and exchange reactions in the system N_2O_5—NO_2^+—NO_3^-—H_2O, Richard A. Ogg, Jr., and James D. Ray—1285(L)
Nuclear magnetic resonance: structure of the amino group. II., W. G. Moulton and R. A. Kromhout—34
Nuclear quadrupole coupling constants and vibrational states, Jules Duchesne—368(L)
Observation of hindered rotation in solid 1,2-dichloroethane by nuclear quadrupole resonance, H. W. Dodgen and J. L. Ragle—376(L)
l-Type doubling in N_2O, J. N. Shearer, T. A. Wiggins, A. H. Guenther, and D. H. Rank—724
Optical rotatory dispersion of helical polymers, William Moffitt—467
Optical rotatory dispersion of transition-metal complexes, William Moffitt—1189
OsO_4: Infrared spectrum of the vapor and comments on the OVFF constants, N. J. Hawkins and W. W. Sabol—775(L)
Out-of-plane CH vibrations of benzene derivatives, Takehiko Shimanouchi, Yuzo Kakiuti, and Itaru Gamo—1245
Out-of-plane force constants of benzene, Yuzo Kakiuti and Takehiko Shimanouchi—1252
Paramagnetic resonance absorption in some organic biradicals, H. S. Jarrett, G. J. Sloan, and W. R. Vaughan—697
Photoionization and total absorption cross sections of gases. II. O_2 and N_2 in the region 850–1500 A, K. Watanabe and F. F. Marmo—965
Physical basis of the free-electron gas model of branched molecules, Hans Kuhn—293
Polarized infrared spectrum of $KAg(CN)_2$, Llewellyn H. Jones—379(L)
Proton relaxation in solutions of chromium (III) complexes, L. O. Morgan, A. W. Nolle, R. L. Hull, and J. Murphy—206
Pure rotational spectra of CO, NO, and N_2O between 100 and 600 microns, E. D. Palik and K. Narahari Rao—1174
Pure quadrupole resonances in multichlorobenzenes, P. J. Bray, R. G. Barnes, and R. Bersohn—813
Quadrupole moment of carbon dioxide, Walter C. Hamilton—1283(L)
Quantum-mechanical calculation of the bond energy of the nitrogen molecule, Hans-Joachim Brüchner—367(L)
Raman spectra and force constants of GeI_4 and SnI_4, H. Stammreich, Roberto Forneris, and Yara Tavares—1278(L)
Raman spectra and force constants of PI_3 and AsI_3, H. Stammreich, Roberto Forneris, and Yara Tavares—580(L)
Raman spectra of phosphorous trifluoride-borane and phosphorous trifluoride-borane-d_3, Robert C. Taylor and Thomas C. Bissot—780(L)
Raman spectrum of UF_6, Howard H. Claassen, Bernard Weinstock, and John G. Malm—426
Rate processes and nuclear magnetic resonance spectra. II. Hindered internal rotation of amides, H. S. Gutowsky and C. H. Holm—1228
Relative basicity of alkyl benzenes, Denys Cook—788(L)
Remarks on radiationless transitions in complex molecules, James Franck and H. Sponer—172(L)
Rotation-vibration spectra and the molecular constants of cyclopropane and cyclopropane-d_6, Hs. H. Günthard, R. C. Lord, and T. M. McCubbin, Jr.—768
Rydberg spectrum of benzene, A. D. Liehr and W. Moffitt—1074(L)
Spectroscopic studies of reactive molecules by the matrix isolation method, Edwin D. Becker and George C. Pimentel—224
Structural investigation of $SnBr_4$ by means of nuclear quadrupole resonance, Kenji Shimomura—1268(L)
Structure of perchlorylfluoride from high-resolution infrared spectra, R. P. Madden and W. S. Benedict—594(L)
Structure of the hexafluorobenzene molecule, Luc Delbouille—182(L)
Structures of toluene, phenylsilane and diphenyldichlorosilane, F. A. Keidel and S. H. Bauer—1218
Substituted methanes. XXVII. Potential constants and calculated thermodynamic properties of CH_2F_2, $CHDF_2$, and CD_2F_2, Arnold G. Meister, Jerome M. Dowling, and Anthony J. Bielecki—941
Symmetric character in certain unsymmetric charge transfer reactions, S. N. Ghosh and W. F. Sheridan—1076(L)
Theory of rotational-vibrational interaction in polyatomic molecules, Lewis J. Bodi and C. F. Curtiss—1117
Tin-hydrogen bond distance, George R. Wilkinson and M. Kent Wilson—784(L)
Tunneling through high periodic barriers. I., T. P. Das—896
Ultrasonic studies of saturated hydrocarbons at low temperatures, Jessie M. Young and A. A. Petrauskas—943
Vibration-rotation bands of diazomethane, William H. Fletcher and Thomas P. Garrett—50
Vibrational assignment in monomeric formic acid, J. K. Wilmshurst—478

Molecular Structure and Constants (continued)
Vibrational intensities. VI. Ethylene and its deutero-isotopes, R. C. Golike, I. M. Mills, W. B. Person, and Bryce Crawford, Jr.—1266
Vibrational spectra of formyl fluoride and *d*-formyl fluoride, H. W. Morgan, P. A. Staats, and J. H. Goldstein—337
Vibrational spectra for oxalate ion and oxalic acid, Hiromu Murata and Kiyoyasu Kawai—589(L)
Vibrational spectra for oxalate ion in coordination compounds, Hiromu Murata, Kiyoyasu Kawai, and Junnosuke Fujita—796(L)

Nuclear Quadrupole Resonance
As^{75} pure quadrupole resonance in synthetic claudetite, P. J. Bray, George O'Keefe, and R. G. Barnes—792(L)
Cl^{35} nuclear quadrupole resonances in $TiCl_4$ and WCl_6, R. P. Hamlen and W. S. Koski—360(L)
Dimerization of solid group IIIB trihalides. I. Bromine nuclear quadrupole resonance spectrum of $AlBr_3$, R. G. Barnes and S. L. Segel—180(L)
Dimerization of solid group IIIB trihalides. II. Iodine nuclear quadrupole resonance spectra of AlI_3, GaI_3, and InI_3, S. L. Segel and R. G. Barnes—578(L)
Nuclear quadrupole resonances of Cl^{35} and Br^{79} in some heterocyclic compounds, S. L. Segel, R. G. Barnes, and P. J. Bray—1286(L)
Observation of hindered rotation in solid 1,2-dichloroethane by nuclear quadrupole resonance, H. W. Dodgen and J. L. Ragle—376(L)
Pure quadrupole resonances in multibromobenzene, P. A. Cassabella, P. J. Bray, S. L. Segel, and R. G. Barnes—1280
Pure quadrupole resonances in multichlorobenzenes, P. J. Bray, R. G. Barnes, and R. Bersohn—813
Pure quadrupole spectra of the isomers of benzene hexachloride, Yonezo Morino, Ichiro Miyagawa, Takehiko Chiba, and Takashi Shimozawa—185(L)
Structural investigation of $SnBr_4$ by means of nuclear quadrupole resonance, Kenji Shimomura—1298(L)
Nuclear Resonance (see **Magnetic Resonance**)
Nucleation

Phase Transitions
Phosphors
Effect of crystal structure upon the luminescence of manganese-activated lithium titanate, M. R. Lorenz and J. S. Prener—1013
Phosphorescence spectra of the β-halonaphthalenes, Jerome W. Sidman—229
Self-activation and self-coactivation in zinc sulfide phosphors, J. S. Prener and F. E. Williams—361(L)
Sensitization of the luminescence of manganese incorporated in zinc sulfide phosphors, Shigeo Shionoya and Kaiichi Amano—380(L)
Photochemistry
Flash photolysis experiments with a sapphire flash lamp, L. S. Nelson and D. A. Ramsay—372(L)
Photochemical oxygen-hydrogen reaction at 1849 A, David H. Volman—288
Photolysis of dimethyl peroxide, Yoshimasa Takezaki, Teruhisa Miyazaki, and Noriko Nakahara—536
Vacuum ultraviolet photochemistry. Part IV. NO at 1236 A, Murray Zelikoff and Leonard M. Aschenbrand—674
Photoconductivity
Adsorption of oxygen on zinc oxide, S. R. Morrison and P. H. Miller, Jr.—1064
Effect of gases on the photoconductivity of anthracene, W. G. Schneider and T. C. Waddington—358(L)
Effect of heat upon anthracene photoconductance in air, A. Bree and L. E. Lyons—1284(L)
Effect of the gaseous atmosphere on the photoconduction and semiconduction of aromatic hydrocarbon crystals, A. Bree and L. E. Lyons—384(L)
Photo- and semiconductivity of anthracene: Effect of NO_2 and Cl_2, D. M. J. Compton and T. C. Waddington—1075(L)
Photoionization
Formation of an artificial ion cloud; photoionization of NO by solar lyman alpha at 95 km, Frederick F. Marmo, Jerome Pressman, Leonard M. Aschenbrand, Adolph Jursa, and Murray Zelikoff—187(L)
Photoionization and total absorption cross sections of gases. II. O_2 and N_2 in the region 850–1500 A, K. Watanabe and F. F. Marmo—965
Photoionization as a source of ions for mass spectrometry, F. P. Lossing and Ikuzo Tanaka—1031
Polymers
Application of cell theory to liquid hydrocarbons, Robert Simha and Stuart T. Hadden—702
Dependence of intrinsic viscosity of dilute solutions of macromolecules on velocity gradient, Yoh-Han Pao—1294(L)
Electrostatic contributions to thermodynamic functions of systems containing polymeric ions, Frank E. Harris and Stuart A. Rice—955
Infrared flow dichroism, George R. Bird and Eklan R. Blout—798(L)
Infrared spectra of high polymers. I. Experimental methods and general theory, C. Y. Liang, S. Krimm, and G. B. B. M. Sutherland—543
Infrared spectra of high polymers. II. Polyethylene, S. Krimm, C. Y. Liang, and G. B. B. M. Sutherland—549
Infrared spectra of high polymers. III. Polytetrafluoroethylene and polychlorotrifluoroethylene, C. Y. Liang and S. Krimm—563
Infrared spectra of polymers. I. The effect of crystallinity on the infrared spectrum of polyethylene and on the infrared spectra of nylon 6 and nylon 11, Marvin C. Tobin and Matthew J. Carrano—1044
Nature of the glass transition in polymers, Julian H. Gibbs—185(L)
Nuclear magnetic interactions in the HF molecule, I. Solomon and N. Bloembergen—261
Optical rotatory dispersion of helical polymers, William Moffitt—467
Optical rotatory dispersion of transition-metal complexes, William Moffitt—1189
Statistics of imperfectly flexible molecular chains, R. A. Sack—1087(L)
Theory of dilute high-polymer solutions (the pearl necklace model), A. Isihara and R. Koyama—712
Viscosity of polymers in concentrated solutions, F. Bueche—599(L)
Proteins

Quantum Mechanics (see **Mechanics, Quantum**)

Radiation Chemistry
Effect of radiation upon the exchange of hydrogen and ethanol, John G. Burr, Jr.—587(L)
Indirect action of radiation on the —NH—CH_2— linkage in diethylamine (a mechanism for radiation-induced decomposition of the Peptide chain), Michael E. Jayko and Warren M. Garrison—1084(L)
Infinite multiplication constant and the age of the uranium minerals, P. K. Kuroda—1295(L)
Ion-molecule reactions in radiation chemistry, G. G. Meisels, W. H. Hamill, and R. R. Williams, Jr.—790(L)
Nuclear physical stability of the uranium minerals, P. K. Kuroda—781(L)

Radiation-induced oxidation of acetic acid-oxygen solutions, Warren M. Garrison, Herman R. Haymond, Winifred Bennett, and Sibyl Cole—1282(L)
Radiochemical measurements of the natural fission rate of uranium and the natural occurrence of the short-lived iodine isotopes, P. K. Kuroda, R. R. Edwards, and F. T. Ashizawa—603(L)
Reactions of methane with iodine activated by radiative neutron capture. II, Gerrit Levey and John E. Willard—904
Recoil energy effects in the hot atom chemistry of iodine, Robert H. Schuler and Charles B. McCauley—1080(L)
Theory of radiation chemistry. III. Radical reaction mechanism in the tracks of ionizing radiations, A. K. Ganguly and J. L. Magee—129
X- and γ-irradiation of ferrous sulfate in dilute aqueous solution, J. L. Haybittle, (Miss) R. D. Saunders, and A. J. Swallow—1213

Radiochemistry
Infinite multiplication constant and the age of the uranium minerals, P. K. Kuroda—1295(L)
Mo-99 in uranium salts and the spontaneous fission half-life of uranium-238, P. L. Parker and P. K. Kuroda—1084(L)
Nuclear physical stability of the uranium minerals, P. K. Kuroda—781(L)
Positron decay in solutions of alkali metals in amine type solvents, B. G. Hogg, T. H. Sutherland, D. A. L. Paul, and J. W. Hodgins—1082(L)
Successive neutron capture in Tb^{159}, R. R. Smith, S. D. Reeder, and R. H. Lewis—502

Raman Spectra
Raman spectra and force constants of GeI_4 and SnI_4, H. Stammreich, Roberto Forneris, and Yara Tavares—1278(L)
Raman spectra and force constants of PI_3 and AsI_3, H. Stammreich, Roberto Forneris, and Yara Tavares—580(L)
Raman spectra of phosphorous trifluoride-borane and phosphorous trifluoride-borane-d_3, Robert C. Taylor and Thomas C. Bissot—780(L)
Raman spectrum of thionyl bromide, H. Stammreich, Roberto Forneris, and Yara Tavares—1277(L)
Raman spectrum of UF_6, Howard H. Claassen, Bernard Weinstock, and John G. Malm—426
Vibrational spectra for oxalate ion and oxalic acid, Hiromu Murata and Kiyoyasu Kawai—589(L)
Vibrational spectra of diazines, Mitsuo Ito, Ryoichi Shimada, Tsukasa Kuraishi, and Wataru Mizushima—597(L)

Reaction Rates (see **Kinetics of Reaction**)
Refractive Indexes
Rotation
Experimental proof for the existence of nonthermal rotational distributions of $OH(^2\Sigma^+)$ in flames, Herbert P. Broida and Henry J. Kostkowski—676

Rotational Isomerism
Ultrasonic studies of saturated hydrocarbons at low temperatures, Jessie M. Young and A. A. Petrauskas—943

Scattering
Secondary Electron Emission
Sedimentation
Semiconductors
Distribution coefficient of boron in germanium, Henry E. Bridgers and E. D. Kolb—648
Effect of the gaseous atmosphere on the photoconduction and semiconduction of aromatic hydrocarbon crystals, A. Bree and L. E. Lyons—384(L)
Photoconductivity and semiconductivity of Anthracene: effect of NO_2 and Cl_2, D. M. J. Compton and T. C. Waddington—1075(L)
Solubility of lithium in doped and undoped silicon, evidence for compound formation, H. Reiss, C. S. Fuller, and A. J. Pietruszkiewicz—650

Shock Waves (see also **Detonation**)
Multiple-path technique for the determination of physicochemical data behind shock fronts, W. Hooker, M. Lapp, D. Weber, and S. S. Penner—1087(L)
Shock waves in chemical kinetics: further studies on the rate of disassociation of molecular iodine, Doyle Britton, Norman Davidson, William Gehman, and Garry Schott—804
Shock waves in chemical kinetics. The rate of dissociation of molecular bromine, Doyle Britton and Norman Davidson—810

Solutions (see also **Liquids**)
Absorption spectra of I_2 and I_4 in CCl_4 solution, R. M. Keefer and Thomas L. Allen—1059
Absorption spectra of solvated anions, M. Smith and M. C. R. Symons—1074(L)
Application of free volume theory to ion pair dissociation constants, W. R. Gilkerson—1199
Chemical effects of ultrasonics—"hot spot" chemistry, Mary Evelyn Fitzgerald, Virginia Griffing, and James Sullivan—926
Corresponding states treatment of nonelectrolyte solutions, Robert L. Scott—193
Debye-Huckel theory and the concentration dependent dielectric constant, S. Teitler and N. Ginsburg—783(L)
Dependence of intrinsic viscosity of dilute solutions of macromolecules on velocity gradient, Yoh-Han Pao—1294(L)
Differential capacitance in electrolytes, James Ross MacDonald—364(L)
Field-dependent proton relaxation times in solutions of Mn^{++}, Arnold L. Bloom—793(L)
Formation of mixed crystals in the use of the alkali-halide disk technique for preparing samples of $KAu(CN)_2$ for infrared spectra, Llewellyn H. Jones and Mark M. Chamberlain—365(L)
Influence of secondary fluorescence on the mission spectra of luminescent solutions, A. Budó and I. Ketskeméty—595(L)
Influence of the solvent on the chemical shifts of monosubstituted benzenes, P. L. Corio and B. P. Dailey—1291(L)
Infrared flow dichroism, George R. Bird and Eklan R. Blout—798(L)
Isothermal calorimeter and the heat of mixing of iso-octane-perfluoroheptane solutions, Charles R. Mueller and James E. Lewis—1166
Model for metal ammonia solutions, E. Becker, R. H. Lindquist, and B. J. Alder—971
Nuclear magnetic interactions in the HF molecule, I. Solomon and N. Bloembergen—261
Nuclear spin resonance of aqueous sodium ion, John E. Wertz and Oleg Jardetzky—357(L)
Observed $n \rightarrow \pi^*$ bands in the ultraviolet absorption solution spectra of the di-aza-naphthalenes, R. C. Hirt, F. T. King, and J. C. Cavagnol—574
Osmotic pressure phenomena as observed in silver membrane osmometers, T. A. Barr—669
Positron decay in solutions of alkali metals in amine type solvents, B. G. Hogg, T. H. Sutherland, D. A. L. Paul, and J. W. Hodgins—1082(L)
Proton jumps and the electrical behavior of ice and ice-NH_4F solutions, Sol Zaromb—350
Proton relaxation in solutions of chromium (III) complexes, L. O. Morgan, A. W. Nolle, R. L. Hull, and J. Murphy—206

Solutions (continued)
Radiation-induced oxidation of acetic acid-oxygen solutions, Warren M. Garrison, Herman R. Haymond, Winifred Bennett, and Sibyl Cole—1282(L)
Rate of electron exchange between cuprous and cupric ions in hydrochloric acid solutions by nuclear magnetic resonance, H. M. McConnell and H. E. Weaver, Jr.—307
Refined theory of ion pairing. I. Equilibrium aspects, Howard Reiss—400
Refined theory of ion pairing. II. Irreversible aspects, Howard Reiss—408
Relation between the Onsager and measurable diffusion coefficients in three component systems, Malcolm Dole—1082(L)
Some physical properties of pure liquid ozone and ozone-oxygen mixtures, A. C. Jenkins and F. S. DiPaolo—296
Supercooling in a binary liquid miscibility-gap system, Richard A. Oriani—186(L)
Surface tension of ionic solutions, Frank P. Buff and Frank H. Stillinger, Jr.—312
Theory of dilute high-polymer solutions (the pearl necklace model), A. Isihara and R. Koyama—712
Thermal diffusion near the critical solution point, G. Thomaes—32
Velocity of sound in the liquid mixture $CCl_4-C(CH_3)_4$, J. Jeener—584(L)
Viscosity and density of the liquid system TNT-picric acid and four related pure materials, Donald W. Moore, Lohr A. Burkardt, and William S. McEwan—1235
Viscosity of polymers in concentrated solutions, F. Bueche—599(L)
Volume of mixing in mixtures of cyclohexane-cyclohexanol, R. P. Rastogi and K. T. Rama Varma—1077(L)
X- and γ irradiation of ferrous sulfate in dilute aqueous solution, J. L. Haybittle, R. D. Saunders, and A. J. Swallow—1213

Spectra (see **Absorption Spectra, Emission Spectra, Fluorescence, Raman Spectra**)

Statistical Mechanics (see **Mechanics, Statistical**)

Surface Phenomena
Additive coloration of KBr crystals, G. Jacobs—583(L)
Adsorption of oxygen on zinc oxide, S. R. Morrison and P. H. Miller, Jr.—1064
Chemisorption data and the Elovich equation, J. N. Sarmousakis and Manfred J. D. Low—178(L)
Concerning a theory of multilayer adsorption, with particular reference to adsorbed helium, William A. Steele—819
Contribution of other than next neighbors in energy calculations for non-ionic liquids and solids, A. D. Crowell—1264
Curved fluid interfaces. I. The generalized Gibbs-Kelvin equation, Frank P. Buff—146
Effect of gases on the photoconductivity of anthracene, W. G. Schneider and T. C. Waddington—358(L)
Frequency variation of the capacity and resistance of the electrical double layer at a metal-solution interface, J. O'M. Bockris, W. Mehl, B. E. Conway, and L. Young—776(L)
Growth of mercury platelets from the vapor, Gerald W. Sears—637
Hydrogen overvoltage on bright iridium and rhodium, James P. Hoare and Sigmund Schuldiner—786(L)
Influence of adsorbed films on crystal growth kinetics, Gerald W. Sears—154
Ionization on platinum and tungsten surfaces. I. The alkali metals, Sheldon Datz and Ellison H. Taylor—389
Ionization on platinum and tungsten surfaces. II. The potassium halides, Sheldon Datz and Ellison H. Taylor—395
Nuclear magnetic resonance absorption by H_2O on TiO_2, John M. Mays and George W. Brady—583(L)
Recombination of hydrogen atoms at metal surfaces, K. G. Pickup and B. M. W. Trapnell—182(L)
Relation between adsorption isotherm and adsorption rate equation, Tominaga Keii—1283(L)
Space-charge formation in small PbS particles, Henry T. Minden—241
Sticking probability of carbon monoxide on evaporated nickel film, Zenjiro Oda—592(L)
Surface diffusion and thermal transpiration in fine tubes and pores, Terrell L. Hill—730
Surface tension and structure of molten glasses, R. Kruh—1085(L)
Surface tension of ionic solutions, Frank P. Buff and Frank H. Stillinger, Jr.—312
Theory of electrolytic crystal growth, D. A. Vermilyea—1254
Thermodynamical fundamental equation for spherical interface, Sohei Kondo—662
Work function and electrical conductivity of hydrogen covered nickel films. The effect of contamination, W. M. H. Sachtler—751

Thermal Diffusion
Thermal diffusion in krypton and argon, J. W. Corbett and W. W. Watson—385
Thermal diffusion near the critical solution point, G. Thomaes—32

Thermodynamic Properties
$\alpha \rightarrow \beta$ transformation of quartz, S. M. Silverman—1081(L)
Calorimetric determination of heats of formation of titanium chlorides, Walter F. Krieve, Stephen P. Vango, and David M. Mason—519
Disproportionation and vapor pressure of $TiCl_2$, Milton Farber and A. J. Darnell—526
Empirical relation for calculation of specific heat of normal paraffins, Ved Swarup Gupta—373(L)
Equation of state of water on the Thomas-Fermi model, A. Latter and R. Latter—1016
General relation for calculation of Tammann constants for different confining media, R. C. Sill—369(L)
Germanium solidus curves, C. D. Thurmond, F. A. Trumbore, and M. Kowalchik—799(L)
Heat capacity of dysprosium from 15 to 300°K, Maurice Griffel, R. E. Skochdopole, and F. H. Spedding—75
High-temperature thermodynamic properties of uranium dioxide, Raymond J. Ackermann, Paul W. Gilles, and R. J. Thorn—1089
Hydrogen bond contribution to the heat of vaporization of aliphatic alcohols, A. Bondi and Donald J. Simkin—1073(L)
Infrared spectrum of methyl isocyanide, R. L. Williams—656
Isothermal calorimeter and the heat of mixing of iso-octane-perfluoroheptane solutions, Charles R. Mueller and James E. Lewis—1166
Mass spectrometric study of copper, silver, and gold, Jean Drowart and Richard E. Honig—581(L)
Mass spectrometric study of gaseous species in the $B-B_2O_3$ system, Mark G. Inghram, Richard F. Porter, and William A. Chupka—498
Mass spectrometric study of phase changes in aluminum, praseodymium, and neodymium, Robert G. Johnson, Donald E. Hudson, Wallace C. Caldwell, Frank H. Spedding, and William R. Savage—917
Measurement of equilibrium of the reaction: $TiCl_3(s)+HCl(g) \rightleftharpoons TiCl_4(g)+1/2H_2(g)$, Walter F. Krieve and David M. Mason—524

Model for metal ammonia solutions, E. Becker, R. H. Lindquist, and B. J. Alder—971
Molecular composition of alkali halide vapors, R. C. Miller and P. Kusch—860
Osmotic pressure phenomena as observed in silver membrane osmometers, T. A. Barr—669
Photoionization and total absorption cross sections of gases. II. O_2 and N_2 in the region 850–1500 A, K. Watanabe and F. F. Marmo—965
Specific heats of compressible lattices and the theory of melting, C. Domb—783(L)
Standard electrode potential of the silver, silver chloride electrode, R. G. Bates, E. A. Guggenheim, H. S. Harned, D. J. G. Ives, G. J. Janz, C. B. Monk, R. A. Robinson, R. H. Stokes, and W. F. K. Wynne-Jones—361(L)
Substituted methanes. XXVII. Potential constants and calculated thermodynamic properties for CH_2F_2, $CHDF_2$, and CD_2F_2, Arnold G. Meister, Jerome M. Dowling, and Anthony J. Bielecki—941
Surface tension and structure of molten glasses, R. Kruh—1085(L)
Temperature dependence of the heat capacity of gases, Hugh M. Spencer—357(L)
Thermal behavior of amorphous ice, J. A. Ghormley—599(L)
Thermal conductivity of He-A-Xe ternary mixture, S. C. Saxena—360(L)
Thermodynamic properties of the titanium chlorides, David Altman, Milton Farber, and David M. Mason—531
Viscosity and density of the liquid system TNT-picric acid and four related pure materials, Donald W. Moore, Lohr A. Burkardt, and William S. McEwan—1235

Thermodynamics

Application of cell theory to liquid hydrocarbons, Robert Simha and Stuart T. Hadden—702
Application of free volume theory to ion pair dissociation constants, W. R. Gilkerson—1199
Clapeyron equation for multicomponent systems, James C. M. Li—572
Corresponding states treatment of nonelectrolyte solutions, Robert L. Scott—193
Critical point and the Born-Green equation, Benson R. Sundheim and Ephraim L. Rubin—785(L)
Curved fluid interfaces. I. The generalized Gibbs-Kelvin equation, Frank P. Buff—146
Distribution of vibrational frequencies of a crystal by Fourier transformation of the heat capacity, William J. Taylor—721
Electrostatic contributions to thermodynamic functions of systems containing polymeric ions, Frank E. Harris and Stuart A. Rice—955
Nature of the glass transition in polymers, Julian H. Gibbs—185(L)
One-dimensional inviscid flow through a rocket nozzle, R. P. Rastogi and T. P. Pandya—1009
Refined theory of ion pairing. I. Equilibrium aspects, Howard Reiss—400
Supercooling in a binary liquid miscibility-gap system, Richard A. Oriani—186(L)
Surface tension of ionic solutions, Frank P. Buff and Frank H. Stillinger, Jr.—312
Thermodynamical fundamental equation for spherical interface, Sohei Kondo—662
Volume of mixing in mixtures of cyclohexane-cyclohexanol, R. P. Rastogi and K. T. Rama Varma—1077(L)

Thermoluminescence

Transport Phenomena

Transport properties of a dense fluid of hard spheres, H. C. Longuet-Higgins and J. A. Pople—884

Turbidity

A priori calculation of the number of bacteria in a turbid suspension, D. H. Taysum—183(L)

Ultrasonics

Chemical effects of ultrasonics—"hot spot" chemistry, Mary Evelyn Fitzgerald, Virginia Griffing, and James Sullivan—926
Ultrasonic absorption theory of Gierer and Wirtz, Robert T. Beyer—219
Ultrasonic studies of saturated hydrocarbons at low temperatures, Jessie M. Young and A. A. Petrauskas—943
Velocity of sound in the liquid mixture $CCl_4-C(CH_3)_4$, J. Jeener—584(L)

Valence and Chemical Bond

Approximate method in calculating mean-square amplitudes of bonded interatomic distances, Katsumi Kimura and Masao Kimura—362(L)
Atomic orbital modification in molecule formation, D. P. Craig and E. A. Magnusson—383(L)
Bond localization and the hyperconjugative effect in the aromatic carbonium ions, Toshifumi Morita—1290(L)
Calculation of bond eigenfunction matrix elements with the vector model, W. T. Simpson—1297(L)
C^{13} hyperfine splitting in naphthalene negative ion, T. R. Tuttle, Jr., and S. I. Weissman—189(L)
Electronic structure of *s*-tetrazine, Leonello Paoloni—1277(L)
Electrostatic interpretation of directed valence, B. F. Gray and H. O. Pritchard—779(L)
Energy of the B—O bond and the structure of liquid boron trioxide, J. D. Mackenzie—187(L)
Further note on the calculation of bond lengths of carbon-chlorine bonds, Tosinobu Anno and Akira Sadô—176(L)
Hydrogen bond contribution to the heat of vaporization of aliphatic alcohols, A. Bondi and Donald J. Simkin—1073(L)
Hydrogen bonding by NMR, A. D. Cohen and C. Reid—790(L)
Hydrogen bonding of the thiol group, Andrew Menefee, Dorman Alford, and C. B. Scott—370(L)
Hyperfine structure and electron densities in aromatic free radicals, E. de Boer—190(L)
Infrared spectrum and structure of the thiocyanate ion, Llewellyn H. Jones—1069
Infrared spectrum of mercuric chloride and bromide, William Klemperer and Louis Lindeman—397
Modification of the vector model to include a first-order nonorthogonality correction, William T. Simpson—1124
Modified atomic orbital method. II. The electronic structure of the oxygen molecule, Takashi Itoh and Kimio Ohno—1098
Near infrared spectra of diborane, pentaborane, and decaborane, P. R. Pondy and H. C. Beachell—238
Nuclear quadrupole coupling constants and vibrational states, Jules Duchesne—368(L)
Out-of-plane CH vibrations of benzene derivatives, Takehiko Shimanouchi, Yuzo Kakiuti, and Itaru Gamo—1245
para-Localization energy and polarographic half-wave potentials of polynuclear hydrocarbons, Sadhan Basu and Rama Bhattacharya—596(L)
Polarizability of the hydrogen bridge, A. N. Baker—381(L)

Valence and Chemical Bond (continued)
Proton positions in brucite crystals, Daniel D. Elleman and Dudley Williams—742
Quantum-mechanical calculation of the bond energy of the nitrogen molecule, Hans-Joachim Brüchner—367(L)
Rate processes and nuclear magnetic resonance spectra. II. Hindered internal rotation of amides, H. S. Gutowsky and C. H. Holm—1228
Spin density in naphthalene negative ion, T. R. Tuttle, Jr., R. L. Ward, and S. I. Weissman—189(L)
Tin-hydrogen bond distance, George R. Wilkinson and M. Kent Wilson—784(L)
Use of *f* orbitals in covalent bonding, J. C. Eisenstein—142

Viscosity
Dependence of intrinsic viscosity of dilute solutions of macromolecules on velocity gradient, Yoh-Han Pao—1294(L)
Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones, G. B. Rathmann, A. J. Curtis, P. L. McGeer, and C. P. Smyth—413
Transport properties of a dense fluid of hard spheres, H. C. Longuet-Higgins and J. A. Pople—884
Viscosity of polymers in concentrated solutions, F. Bueche—599(L)

X-Ray Diffraction
Boron arrangement in a B_9 hydride, Richard E. Dickerson, Peter J. Wheatley, Peter A. Howell, William N. Lipscomb, and Riley Schaeffer—606(L)
Catalytic effects of TiO_2 and MnO_2 on the phase transformation of gothite, S. C. Chadraborty and A. Roy—1079(L)
Crystal structure of barium and europium at 293, 78, and 5°K, C. S. Barrett—1123
Disproportionation and vapor pressure of $TiCl_2$, Milton Farber and A. J. Darnell—526
Germanium solidus curves, C. D. Thurmond, F. A. Trumbore, and M. Kowalchik—799(L)
Interatomic potential functions of sodium and potassium, Rufus C. Ling—609
Soft x-ray absorption edges of metal ions in complexes. I. Theoretical considerations, F. Albert Cotton and Carl J. Ballhausen—617
Soft x-ray absorption edges of metal ions in complexes. II. Cu *K* edge in some cupric complexes, F. Albert Cotton and Harold P. Hanson—619
Study of the wurtzite-type binary compounds. I. The structures of aluminum nitride and beryllium oxide, G. A. Jeffrey, G. S. Parry, and R. L. Mozzi—1024
X-ray scattering by liquid-metal alloys (a kinetic approach), Rufus C. Ling—614